

-)V/7-

The Answer Is Definitely YES!

Thousands of Millwork items can be had for repairs and essential replacements. A few items require a priority, but all-in-all you can get most of the items necessary for a first-class job.

Many articles are not being manufactured at present, but owing to the exceptionally large stocks we had on hand at the start of the emergency, we can offer you first line merchandise at little or no increase in price.

Conditions are rapidly changing in the Millwork industry, items that were scarce last month, may be had next month. If anyone can get them for you, we can. Write us on all your needs, we know we can help you solve your millwork problems.

We have cut the size of our catalog in keeping with government wishes, but we have not curtailed the same prompt, courteous service which you enjoyed in the past.

All Prices Are F.O.B. Factory or Mill

Freight rates are the same to all. Remember, no matter whom you buy from, the goods have to be shipped in and you do pay the freight—either directly or added to your purchase price. However, if you are in doubt about the amount of freight charges on your order, send us your list of items and we will gladly tell you exactly what the railroads or trucking companies will charge you.

Conditions of Sale

All merchandise in this catalog was available when this catalog was issued, however, all items are quoted subject to our ability to furnish at the time order is received by us, as the present emergency may make it impossible to secure some items after our present stock is exhausted.

All prices in this catalog subject to change when market conditions make it necessary.

The enclosed Order-Estimate Blank and Return Envelope (requiring no postage) is furnished for your convenience. Additional supplies will be sent upon request.

Terms

Deduct 2% when check accompanies order, otherwise we require a 20% Deposit with the order, balance net cash upon arrival (no discount). If order includes special manufactured millwork or amounts to less than \$25.00, please send check with order.

On Large Orders to receive 2% discount, you need only to remit for those items you wish shipped immediately, the balance can be paid for later as ordered out OR we will extend to you terms of 30 days NET from date of each invoice if you are satisfactorily rated in Dun & Bradstreets, Inc., or if your order is accompanied by a letter from your Banker or other suitable references.

To receive prompt attention, please address all orders, letters and inquiries to:—

Consolidated Sash & Door Co.

Phone: AVon 6960

4812 Vine Street :: :: Cincinnati 17, Ohio

EXTERIOR MOULDINGS

Exterior Mouldings of Clear Western Pine or Clear "All Heart" Redwood assure you of a completed job of unequalled durability at less labor cost and an unusually smooth surface more adaptable for painting.

All Prices per 100 Lineal Feet

	All .	Prices per	100 1	linear reer			
			No. 501 502	Kind Barge Barge	Size 3/4×13/4 3/4×21/4		Clear All Heart Redwood \$1.99 2.48
501 502	505	506-507-508 509-510-511	505 506 507 509 511	Crown Crown Crown Crown Crown	3/4×13/4 3/4×21/4 3/4×23/4 3/4×35/8 3/4×45/8	1.99 2.48 2.98 4.27 5.87	1.99 2.48 2.98 4.27 5.87
CETTED .		R	51 9 A 519	Hanging Stile Hanging Stile	/8 x 5/8 /8 x 2	3.50 4.20	
519	520 527	526-527 528	520 522 526 527 528	Bed Bed Bed Bed Bed	3/4×11/4 11/8×13/4 3/4×13/4 3/4×2 3/4×21/4	1.96 3.27	1.99 2.24 2.48
	411111		532 533 534 535	Water Table Water Table Water Table Water Table	3/4×15/8 11/8×15/8 11/8×2 11/8×21/2	2.21 3.83 4.35 5.10	
530-533 534-535	537	540	536 537 540 540 544 546	Cove Cove Half Round Half Round Quarter Round Quarter Round	1/2× 3/4 3/4× 7/8 5-6× 5/8 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	.78 1.11 .98 1.44 .75 .99	
			550 551 555 556 557 558	Screen Mould Screen Mould Screen Stock Screen Stock Screen Stock Screen Stock	13 x 5/8 13 x 17 5 3/4 x 13/4 3/4 x 23/4 11/8 x 23/4	.65 1.15 2.14 2.99 3.51 5.34	
546	555-556 567-558	550-551	566 567 568	Lattice Lattice Lattice	5 x 1 1/8 5 x 1 3/8 5 x 1 3/4	.88 1.13 1.38	
			570 572	Parting Stop Blind Stop	1/2 x 3/4 3/4 x 1 1/4	.82 1.96	
566-567 568		582 - 583 4 - 585	580 582 583 584 585	O. G. Fir Gutte O. G. Fir Gutte O. G. Fir Gutte O. G. Fir Gutte O. G. Fir Gutte	4x5 4x6 5x7	Per Fi Per Fi Per Fi Per Fi	29

SELECTED FINISH OR CORNICE

Priced per 100 Lineal Feet - Surfaced 4 Sides

Rough Size	Finished Size	Clear Western Pine	Rough Size	Finished Size	Clear Western Pine
1x2	11×15/8	\$2.14	lx4	† ½x31/2	\$3.97
1x3	+ 1 x 2 5/8	2.99	lx6	+&x51/2	5.85

For Specified Lengths of Mouldings, Finish Boards and Gutters - Add 10%

FACTORY FINISHED OAK FLOORING

Tongued and Grooved and End Matched—Prefinished a medium Brown Oak—Nail in Place and it's ready to use—Priority Rating AA-3 or better required.

> Standard Grade

Size |3'' x 31/4'' \$16.00

Per Hundred Feet Board Measure

ALWAYS ORDER BY OUR CATALOG NUMBERS

Consolidated Sash & Door Co., Cincinnati, Ohio

SPHAL" COATED INSULATING SHEATHING

Asphalt Coated on All Sides and Edges Moisture Proof - 25/32" Thick - Waterproof

The perfect Wood-Fibre Sheathing Board full 25/32" thick. The Asphalt Coating prevents moisture penetration and condensation and the tiny air cells imprisoned in this insulating sheathing gives it amazing resistance to the passage of heat and cold. The asphalt coating does not fill these air cells, the surface only being covered.

Is easily handled, eliminates waste, and will help a great deal toward reducing your labor costs.



No. 2488 51/20

Per Sq. Ft.

	PRIC	ED PER BI	JNDLE	
	Sq. Ft.	Pieces	Sq. Ft.	Price
Sizes	Per Pc.	Per Bdl.	Per Bdl.	Per Bdl
48''x8-0	32	4	128	\$7.04
9-0	36	4	144	7.92
10-0	40	4	160	8.80
*24''x8-0	16	6	96	5.28
*This size	of Insulating	Sheathing	comes with	Tonque and
Groove	Edges for ho	rizontal ap	plication.	

OUTSIDE BLINDS AND SHUTTERS

Substantially and accurately made to order of Clear Western Pine. Height of Upper Panel can be made to conform to your plans. If no preference indicated on your order we will furnish our standard layout.















No

419 \$7.23 8.12 9.03 9.92 10.82

11.85

12.64

Description

No. 400 401

All Stationary Slats
All Rolling Slats
Same as 400 and 401 except Top Panel Stationary Slats, Bottom Panel Rolling Slats
Two Flat Panels (Height of Panels to meet your preference)
Stationary Slats Below Flat Panel Above
Stationary Slats Below Flat Panel Above
Stationary Slats Below Flat Panel Above
Two Raised Panels (Height of Panels to meet your preference)
Solid Planks Battened 402 404 405

407 408

Specifications

Design Nos. 400, 401 and 402: Stiles, Top and Middle Rails 1/8" wide; Bottom Rails 41/2" wide; 11/8" thick. Design No. 419: Solid Selected Planks with Battens Screwed on as above illustrated. All other Designs: Stiles, Top and Middle Rails 21/4" wide; Bottom Rails 41/2" wide; 11/8" thick. Clear Western Pine.

Priced per Pair Exclusive of Scroll Cuts - Rabbeted for

Openings You Specify Not No. Nos. 404 to 408 Inc. \$4.52 5.07 Nos No Exceeding 401-402 \$3.91 400 2-105/8×4-0 \$3.53 \$5.76 6.49 7.23 7.95 3.99 4.43 4-6 4.39 5-0 4.89 5.65 5-6 4.89 6-0 5.31 5.76 6.77 5 88 8.67 6-6 6.20 6.81 7.89

SHUTTERS WITH SCROLLED CUT OUTS



Take Price of Shutters No. 404 to 408 inclusive. Add for Scrolled Cut Outs, Per Pair: Scroll Cut Outs A, C, D and E, \$0.65 - Scroll Cut Outs B, F, G, H, J and K, \$1.35

For Variations from Above, Add per Pair

	Nos. 400-	Nos. 404
If wider than 2-105/8 add for every 2" or fraction thereof,	401-402	to 419
per lineal foot	\$0.03	\$0.07
If 13/8" Thick add per lineal foot or fraction thereof in height	.07	.07
Segment, Half Circle or Peak Head, add per pair	5.37	5.37
Half Blinds or Shutters take one-half price of pair and add	331/3%	331/3%

BY OUR CATALOG NUMBERS ALWAYS ORDER

INSULATING TILE AND PLANKS

Tongued and Grooved - 1/2" Thick - Moulded Edges



Colors Available:

Will beautify and modernize any out-of-date Rostaurant, Store-room, Hotel Lobby, Gameroom, etc. Will sound-proof and insulate. Whether the home is old or new, Insulating Tile and Plank will make it more attractive. Has considerable Acoustical and Insulating value.

For new work install to the studs or ceiling joists, no plastering necessary as both Tile and Plank are Tongued and Grooved. For old work, install right over the old plaster.

Will change old-fashioned unattractive rooms into beautiful, modern, panelled, noiseless rooms at a very low cost.

TILE



ON TY

51/4 C

Up

Per Square Foot

PLANK



No. 2471

Priced per Bundle

No. 2472

Sold only in full bundles-no broken bundles

INSULATING PLANK

					rer bundle		
Ivory WI	hite. Bu	iff. Gree	n and	Sizes	Pcs.	Sq. Ft.	Price
				8"x 8-0	12	.64	\$3.74
blende	ed bun	s and T	ans	10-0	12	80	4.68
				12-0	12	96	5.62
				10"x 8-0	12	80	4.68
INS	SULATI	NG TILE		10-0	12	. 100	5.85
	-1	- Per Bundi		12-0	12	120	7.02
Sizes	Pcs.	Sq. Ft.	Price	12"x 8-0	12	96	5.62
12"x12"				10-0	12	120	7.02
16"x16"	64	64	\$3.84	12-0	12	144	8.42
16"x32"	36	64	3.74	16"x 8-0	12	128	7.68
16 X3Z	18	64	3.36	10-0	12	160	9.60
				12-0	12	192	11.52


SUPERIOR INSULATION BOARD

Full 3/8" and 1/2" Thick — Attractive Ivory-White Color

The ideal Wood Fibre Insulating Board. Millions of tiny air cells imprisoned in this wood fibre insulating board gives it amazing resistance to the passage of heat, cold and sound.

Whether it's Old or New, your home can be Modern, Attractive, Comfortable and Quiet, if you use our Superior Insulation Board, because its:

New, therefore Modern—Attractive for Finishing Walls Comfortable because it Insulates—Quiet because it deadens and absorbs room noise.



SUPERIOR INSULATING PLASTER BASE No. 2483 — All Wood Fibre — Full 1/2" Thick

PRICED PER BUNDLE

Sq. Ft. Picces Sq. Ft. Price
Size Per Pc. Per Bdl. Per Bdl.
18x48 6 15 90 \$3.87



ROCK WOOL INSULATION

Waterproof - Fireproof - Vermin Proof



LOOSE ROCK WOOL

No. 2457

Loose Rock Wool comes in a large, fluffy mass which is suitable for hand packing to the thickness desired. Can be used alone or with other types to insulate spaces where it is inconvenient to pour granulated or "pellet" type or use Rolls or Batts—such as stuffing irregular spaces around rafters or sidewalls. It is more economical but requires slightly more time to install.

55¢

\$31.50 Per Ton

Per 35 lb. Bag

GRANULATED ROCK WOOL

No. 2458

Granulated Rock Wool is the easiest form to install; just pour between wall studs, ceiling and floor joists, and level to desired thickness. It is especially suitable for the insulation of walls in old homes. The pellets are sufficiently large so as not to sift through wall or ceiling cracks. Contractors, with blowing equipment, use this type, which stops air circulation between walls and lessens fire hazard.

76¢ Per 35 lb. Bag \$43.50 Per Ton





ROCK WOOL BATTS

No. 2455

Paper Backed — Carton Packed

These Batts have a strong, heavy paper which is cemented with asphalt to one side of the Rock Wool Batt. This moisture-proof paper overlaps four edges, the overlaps at sides to provide 1/5" nailing flange to hold batt in place; the overlap at ends provide air-sealed joints between batts. Batts fit between wall and ceiling joists and attic rafters. Carton packed.

PRICED PER 1,000 SQUARE FEET

SIZE 15x23" 2" Thick

3" Thick

35/8" Thick

\$36.00

\$43.50

\$45.00



ROLL ROCK WOOL

No. 2452 — Paper Backed

Very similar to our Paper Backed Batts illustrated above except furnished in rolls 15" wide. Fits snugly between joists or studs 16" on center. Has the same 1½" overlap on side edges that provides a 1½" Nailing Flange.

Can be supplied in 23" width at the same price—be sure to specify if wanted. The 15" width will be shipped unless specified otherwise.

PRICED PER 1,000 SQUARE FEET

1" Thick \$24.00 2" Thick

3" Thick

\$29.50

\$32.00

GABLE FRAMES AND SASH COMPLETE

Clear Western Pine



Quarter Circle Left Hand



288 Half Circle



Quarter Circle Right Hand



284 Full Circle

Frames for Gable Sash Numbers 280, 284, 285 and 288 are made for 2x4 Stud Wall with II/8" Outside Casing but can also be used in Brick or Brick Veneer Walls. Sash are 13%" thick with Wood Bars and Glazed with Flat Drawn Glass. Frames and Sash are completely Set Up. Ready to Install, Carton Packed.

QUARTER CIRCLE and HALF CIRCLE FRAMES and SASH are made to show Circle outside and Square inside. In ordering Quarter Circle Sash be sure to specify whether RIGHT or LEFT Hand.



285 Octagon


Priced per Frame Complete with Glazed Sash

No.	Designs	Sizes	Price
280	Quarter Circle	1-6x1-6	\$ 4.95
284	Full Circle	2-0x2-0	21.00
285	Octagon	2-0x2-0	20.50
288	Half Circle	3-0x1-6	8.50

Full Circle No. 284 and Octagon No. 285 Sash and Frames can only be furnished when order is accompanied with a priority extension of AA-3 or better.

WOOD EXTERIOR LOUVRES

Carefully manufactured of Clear Western Pine, completely Nailed Up with Screen Wire Back. We carry in stock Rectangular Louvres No. 290 in size I-0x2-0, Half Circle Louvres No. 295 in sizes 3-0x1-6 and Quarter Circle Louvres No. 293 in size I-6x1-6 both Right Hand and Left Hand. Balance of all designs and sizes made promptly to order. When ordering specify whether Louvres are for Frame, Brick or Brick Veneer Construction. order. When Construction.





Stocked Sizes - Priced per Louvre

No. 290	Rectangular 1-0x2-0	3.28
No. 293	Quarter Circle Louvre 1-6x1-6, Right or Left Hand	3.90
No. 295	Half Circle Louvre 3-0x1-6	6.56

Special Sizes - Priced per Louvre of not over 6 sq. ft. No. 290 \$6.25 No. 291 9.25

.....\$8.60 9.00 No. 292 \$6.80 No. 293 7.15

STEEL EXTERIOR LOUVRE

With Flange - For Air-tite Installation

Manufactured of 20 gauge steel, electrically welded and painted with two coats of high grade paint. Screen Wire is fastened to the inside of the louvre with screws.

Very easily installed, in frame construction, it is only necessary to cut an opening in the sheathing the correct size. Then noil the flange to the sheathing through holes provided and butt the siding up against the frame of the louvre. In brick construction the louvre is recessed 3", the flange fitting between mortar joints. No Wood trim is needed.



Fach


Wall Opening Size Overall \$9.41 125/8" wide x 18/3" high 151/8" wide x 21/5" high

Write for Prices of Other Sizes of Steel Exterior Louvres

WINDOW FRAMES WESTERN PINE

With BALL-BEARING Jam-Proof Pulleys For 13/8" Check Rail Windows

Our Kiln-Dried Western Pine Frames insure a durable and uniform paint job. More Weather Resistant than other woods. Each frame accurately machined. Equipped with Galvanized Ball-Bearing Jam-Proof Pulleys, ready to nail up and packed in two strong bundles.



For 51/4" Stud Wall No. 210

No. **210** for $5\frac{1}{4}$ " STUD WALL—Sill $1\frac{3}{4}$ x $7\frac{1}{4}$, Outside Casings $1\frac{1}{8}$ x $4\frac{1}{2}$, Drip Cap $1\frac{1}{8}$ x $1\frac{1}{8}$ with special weather-proof construction, Pulley Stiles $\frac{3}{4}$ x $4\frac{1}{2}$, Parting Stops and Blind Stops complete with Ball-Bearing Jam-Proof Pulleys.

No. 210CM for 51/4" STUD WALL—Same as No. 210 except has Crown Mould Cap. Add \$0.57 to price of any size of Frame No. 210.

For Smaller Regular Sizes Take Price of Next Larger Size.

Note: Eight, Twelve and Sixteen Light (No. 12) Colonial Windows are provided on pages 12 and 13 to fit standard two-check frame opening sizes.


Priced per Frame Including Galvanized Ball-Bearing Jam-Proof Pulleys

Priced	per frame	including	Galvanizea p	all-bearing	ng Jam-Proof	Pulleys
Glass	Opening	Frame		Glass	Opening	Frame
Sizes	Sizes	No. 210)	Sizes	Sizes	No. 210
16×20	I- 8x3-10	\$2.88		26×22	2- 6x4- 2	\$3.43
24	4-6	3.09		24	4- 6	3.52
28	5- 2	3.31		26	4-10	3.63
30	5- 6	3.47		28	5- 2	3.74
				30	5- 6	3.92
18x14	1-10x2-10	2.67		32	5-10	4.08
20	3-10	3.02				
24	4- 6	3.25		28x14	2- 8x2-10	2.97
26	4-10	3.41		16	3- 2	3.05
28	5- 2	3.52		18	3- 6	3.21
30	56	3.68		20	3-10	3.35
2014	2- 0x2-10	2.74		22	4- 2	3.51
20x14				24	4- 6	3.57
16	3- 2	2.82		26	4-10	3.69
18	3- 6	2.94		28	5- 2	3.79
20	3-10 4- 2	3.12 3.25		30	5- 6	3.96
22	4- 2	3.25		32	5-10	4.13
24	4-10	3.45		30x14	2 10 2 10	2.12
26	5- 2	3.56		16	2-10x2-10 3- 2	3.13
28	5- 6	3.74		18	3- 6	3.18
30	5- 6	3.74		20		3.49
22x14	2- 2×2-10	2.82			3-10	
16	3- 2	2.91	-4	22 24	4- 2	3.64
18	3- 6	3.03			4- 6	3.71 3.82
20	3-10	3.22		26 28	4-10	3.82
22	4- 2	3.33		30	5- 2 5- 6	4.07
24	4- 6	3.41		32	5-10	4.07
26	4-10	3.51		34	. 5-10	4.27
28	5- 2	3.63		32x24	3- 0x4- 6	3.84
30	5- 6	3.79		26	4-10	3.95
				28	5- 2	4.06
24x14	2- 4x2-10	2.85		30	5- 6	4.25
16	3- 2					
18	3- 6	3.06		36x24	3- 4×4- 6	3.95
20	3-10	3.24		26	4-10	4.12
22	4- 2	3.35		28	5- 2	4.23
24	4- 6	3.46		30	5- 6	4.39
26	4-10					
28	5- 2			38x24	3- 6x4- 6	4.07
30	5- 6			26	4-10	4.18
32	5-10	4.02		28	5- 2	4.29
26x14	2- 6x2-10	2.92		40x24	3- 8x4- 6	4.22
16	3- 2			26	4-10	4.22
18	3- 6			28	5- 2	4.44
20	3-10			30 -	5- 6	4.60
20	3-10	3.27		30 .	3- 0	7.00

For Brick Wall or Brick Veneer Type Window Frames we recommned our Designs No. 251 or 252 illustrated on page 7.

WINDOW FRAMES

Narrow Outside Casing — Western Pine — Draftproof
Ball-Bearing Jam-Proof Pulleys or Four Pullman Spring Balances



Both types have Narrow Outside Casing 11/8x21/4. Made draft-proof by the inner lining which extends behind casing to form a draftseal over weight box.

We especially recommend Frame No. 251 which is the pulley type, for low cost jobs where you desire or require the newer narrow exterior casing.

No. 251-Equipped with Four Ball-Bearing Jam-Proof Pulleys.

No. 252—Equipped with Four Strong Pullman Sash Balances.

Frames No. 251 and 252 can be used in any type of construction. When ordering, be sure to state whether required for Frame, Brick Veneer or Solid Masonry construction.

Priced per Frame with Ball-Bearing Pulleys or Pullman Spring Balances

Priced	per rram	ie with	Dall-Dee	ining runeys of i	unman S	ning ba	iditees
Glass	Opening	Frame	Frame	Glass	Opening	Frame	Frame
Sizes	Sizes	No. 251	No. 252	Sizes	Sizes	No. 251	No. 252
16x20	I- 8x3-10	\$2.76	\$4.36	26x14	2- 6x2-10	\$2.87	\$4.46
24	4- 6	3.01	4.59	16	3- 2	2.97	4.56
28	5- 2	3.24	4.96	18	3- 6	3.11	4.67
30	5- 6	3.36	5.10	20	3-10	3.18	4.93
30				22	4- 2	3.34	5.06
18x14	I-10x2-10	2.65	4.22	24	4-6	3.43	5.14
20	3-10	2.93	4.53	26	4-10	3.50	5.24
24	4- 6	3.18	4.75	28	5- 2	3.61	5.33
26	4-10	3.28	5.02	30	5- 6	3.73	5.46
28	5- 2	3.39	5.12				
30	5- 6	3.52	5.26	28x14	2- 8x2-10	2.92	4.51
		2.70	4.28	16	3- 2	3.02	4.60
20×14	2- 0x2-10	2.77	4.26	18	3- 6	3.19	4.76
16	3- 2	2.77	4.47	20	3-10	3.26	4.98
18	3- 6	3.01	4.60	22	4- 2	3.43	
20	3-10	3.14	4.72	24	4- 6	3.49	5.20
22	4- 2 4- 6	3.14	4.82	26	4-10	3.57	5.29
24		3.24	5.07	28	5- 2	3.68	
26	4-10		5.15	30	5- 6	3.80	5.51
28	5- 2	3.44	5.15		0.10.0.10	3.11	4.65
30	5- 6	3.55	3.20	30x14	2-10x2-10	3.17	4.74
22x14	2- 2x2-10	2.79	4.36	16	3- 2	3.33	4.90
16	3- 2		4.45	18	3- 6 3-10	3.33	5.13
18	3- 6	3.01	4.58	20		3.57	5.30
20	3-10	3.11	4.85	22	4- 2	3.62	5.35
22	4- 2	3.25	4.97	24	4- 6	3.71	5.43
24	4-6	3.30	5.02	26	4-10 5- 2	3.81	5.53
26	4-10	3.39	5.11	28		3.95	5.65
28	5- 2	3.49	5.19	30	5- 6	3.73	3.03
30	5- 6	3.61	5.34	32x24	3- 0x4- 6	3.72	5.45
				26	4-10	3.79	5.53
24x14	2- 4x2-10	2.80	4.40	28	5- 2	3.90	5.61
16	3- 2	2.89	4.47	30	5- 6	4.08	5.82
18	3- 6	3.02	4.59	•			
20	3-10	3.13	4.70	36x24	3- 4x4- 6		5.59
22	4- 2	3.26	4.97	26	4-10	4.00	
24	4- 6	3.36	5.07	28	5- 2	4.11	5.84
26	4-10	3.44	5.17		2: 1:1:1	4.00	5.72
28	5- 2		5.26	38x24			
30	5- 6	3.67	5.39	26	4-10	4.07	3.61


Mullion Frames take 2 times the Single Frame Price and add	\$0.30
Triple Frames take 3 times the Single Frame Price and add	
Quadruple Frames take 4 times the Single Frame Price and add	1.30

WINDOW AND FRAME UNITS

COMPLETELY ASSEMBLED

Spring Balances — Interlocking Weatherstrip — Rot-Proofed Narrow Line Type — 1%" Glazed Windows — Western Pine

The Unit "COMPLETELY ASSEMBLED" consists of Frames Set Up, Windows Pre-fitted, Rot-Proofed, Glazed and Hung in Frame with Weatherstrip and Enclosed Spring Balances installed.



Frame Specifications

No. **241** for $5^1/4^{11}$ STUD WALL—Sill $1^5/6$ x7 $^1/4$, Jambs $\frac{3}{4}$ x4 $^1/2$, Outside Casings $1^1/6$ x2 $^3/4$, Drip Cap $\frac{3}{4}$ x1 $\frac{3}{4}$ x Head Blind Stop $\frac{3}{4}$ x1 $\frac{3}{4}$ x and all necessary Enclosed Spring Balances, Tape Hooks and Spring Equalizers.

No. 245 for BRICK VENEER WALL—SIII $1_7^{\pm}x^{7}/4$, Jambs $\frac{3}{4}x^{4}/2$, Outside Hanging Stile $1^{1}/8x^{1}/9$, "Wind-Break" Head Blind Stop $\frac{3}{4}x^{4}/2$, "Wind-Break" Side Blind Stop $\frac{3}{4}x^{2}/4$ and all necessary Enclosed Spring Balances, Tape Hooks and Spring Equalizers.

No. 243 for 9" and 13" BRICK WALL—Sill 1_{15}° x71/4, Jambs $\frac{3}{4}$ x4 $\frac{1}{2}$, Outside Hanging Stile $1\frac{1}{6}$ x1 $\frac{5}{8}$, "Wind-Break" Head Blind Stop $\frac{3}{4}$ x4 $\frac{1}{2}$, Side Blind Stop $\frac{3}{4}$ x1 $\frac{5}{2}$ and all necessary Enclosed Spring Balances, Tape Hooks and Spring Equalizers.

GLAZED WINDOWS INCLUDED

Units priced complete with Windows in Designs 2, 3, 6, 12 and 19 Manufactured of Clear Western Pine, Machined for Weatherstrip, Prefitted, Rot-Proofed and Glazed.

For illustrations showing Window Designs see Page 12

OVERHEAD SPRING BALANCES

For all Window Openings up to and including 30" glass width, two balances per Window are required and furnished, for openings over 30" glass width, four balances per Window are required and furnished.

WEATHERSTRIP



Full width and full length Metal Weatherstrip covers the entire Side Jambs and is formed with turned edges to properly space the opening between blind stop and top sash and between inside trim stop and bottom sash. This Metal Guide forms a complete and perfect track in which the Sash travels and is so formed that at no point is there any wood to wood contact. Head Jamb, Sill and both Check Rails are thoroughly weatherstripped.

Outside Door Frames and Casement Sash Frames to match above Units, use prices shown on Pages No. 10 and 11. When ordering, specify "NL" after the Frame Number.

The Popular Trim Designs No. 792, 797 and 799B appropriate for these Narrow Line Units, illustrated and priced on Pages 32 and 33.

"Narrow Line" Type Window Units Priced on Opposite Page

WINDOW AND FRAME UNITS

COMPLETELY ASSEMBLED

Our "COMPLETELY ASSEMBLED" Units are furnished with the Frames Set Up Windows Pre-Fitted, Rot-Proofed, Glazed and Hung in Frame with Weatherstrip and Enclosed Spring Balances installed, ready to set in the wall.

COMPLETELY ASSEMBLED Nos. 241, 243 or 245 Priced according to Window Design.

	Window	Priced according to Window Design.				
Glass	Opening					
Sizes	Sizes	No. 2	No. 3	No. 6	No. 12	No. 19
16x20	I- 8x3-10	\$7.81	\$8.03	\$8.10	\$8.39	\$8.25
24	4- 6	8.46	8.68	8.75	9.05	8.90
18x20	1-10x3-10	7.95	8.17	8.25	8.54	8.39
24	4- 6	8.61	8.83	8.90	9.19	9.05
26	4-10	9.55	9.77	9.85	10.14	9.99
20x14	2- 0x2-10	7.81 7.81	8.14 8.14	8.25 8.25	8.68 8.68	8.25 8.25
16	3- 2 3- 6	7.95	8.28	8.39	8.83	8.39
20	3-10	8.03	8.35	8.46	8.90	8.46
22	4- 2	8.46	8.79	8.90	9.34	8.90
24	4-6	8.75	9.08	9.19	9.63	9.19
26 28	4-10 5- 2	9.77 10.28	10.10	10.21 10.72	10.65	10.72
30	5- 2 5- 6	10.57	10.90	11.01	11.45	11.01
22x24	2- 2x4- 6	8.90	9.23	9.34	9.77	9.34
26	4-10	9.99	10.32	10.43	10.86	10.43
28	5- 2	10.43	10.75	10.86	11.30	10.86
30	5- 6	10.79	11.12	11.23	11.66	11.23
24x14	2- 4x2-10	8.25 8.25	8.57	8.68	9.12	8.68
16	3- 2	8.25	8.57 8.72	8.68 8.83	9.12	8.83
18	3- 6	8.39 8.46	8.72	8.90	9.26 9.34	8.90
20 22	3-10 4- 2	8.90	9.23	9.34	9.77	9.34
24	4- 6	8.97	9.30	9.41	9.85	9.41
26	4-10	10.06	10.39	10.50	10.94	10.50
28	5- 2	10.57	10.90	11.01 11.59	11.45	11.01
30	5- 6	11.16	11.40	11.37		
26x14	2- 6x2-10	8.39 8.39	8.72 8.72	8.83 8.83	9.26 9.26	8.83 8.83
18	3- 2 3- 6	8.61	8.94	9.05	9,48	9.05
20	3-10	8.68	9.01	9.12	9.55	9.12
22	4- 2	9.12	9.45	9.55	9.99	9.55 9.63
24	4- 6	9.19	9.52	9.63 10.86	10.06	10.86
26 28	4-10 5- 2	10.43 10.79	10.75 11.12	11.23	11.66	11.23
30	5- 6	11.37	11.70	11.81	11.66 12.25	11.81
28x14	2- 8x2-10	8.46	8.79	8.90	9.34	8.90
16	3- 2	8.46	8.79	8.90	9.34	8.90
20	3-10	8.97	9.30	9.41	9.85 10.43	9.41
24	4- 6	9.55 10.57	9.88 10.90	9.99 11.01	11.45	11.01
26 28	4-10 5- 2	11.01	11.34	11.45	11.88	11.45
30	5- 6	11.52	11.85	11.96	12.39	11.96
30x14	2-10x2-10	8.61	8.94	9.05	9.48	9.05
16	3- 2	8.61	8.94	9.05	9.48	9.05
20	3-10	9.12	9.45	9.55	9.99 10.57	9.55 10.14
24	4- 6	9.70	10.03 11.12	10.14 11.23	11.66	11.23
26 28	4-10 5- 2	10.79 11.16	11.48	11.59	12.03	11.59
30	5- 6	11.74	12.06	12.17	12.61	12.17
32x24	3- 0x4- 6	10.94	11.37	11.52	12.10	11.37
32x24 26	4-10	11.96	12.39	12.54	13.12	11.37 12.39
28	5- 2	12.46	12.90	13.05	13.63	12.90
30	5- 6	12.97	13.41	13.56	14.14	13.41
36x24	3- 4x4- 6	12.17	12.61	12.76 13.70	13.34 14.28	12.61 13.56
26 28	4-10 5- 2	13.12 13.34	13.56 13.77	13.70	14.50	13.77
					14.07	12.24
40x24	3- 8x4- 6	12.90 14.07	13.34 14.50	13.48 14.65	14.07 15.23	13.34 14.50
28 30	5- 2 5- 6	14.43	14.87	15.01	15.59	14.87
30	3. 0					

For Glazing Obscure Glass add 8% for each Lower Half or each Upper Half Window.

	ATTRACTIVE NARROW 11/2" MULLIONS	
ts	or Frames take 2 times the above prices and add	

The Popular Trim Designs No. 792, 797 and 799B appropriate for these Narrow Line Units, illustrated and Priced on Pages 32 and 33.


ALWAYS ORDER BY OUR CATALOG NUMBERS

Mullion Unit

SASH FRAMES WESTERN PINE

For 13/8" Sash to Swing In or Out

You recognize the superiority of Kiln-Dried WESTERN PINE. Produces a more lasting and beautiful job. Each Frame accurately machined ready to nail up and packed in two strong bundles.



Swing "IN" Frames are not illustrated but are provided with a NON-LEAK Sill which absolutely insures a perfect drain.

Nos. 216 and 217 for $5^1/4^{11}$ STUD WALL—Sill $1\frac{3}{4}$ x $7^1/4$, Jambs $1\frac{3}{6}$ x $5^1/4$, Outside Casings $1\frac{1}{6}$ x $4\frac{1}{6}$ and Drip Cap $1\frac{1}{6}$ x $1\frac{1}{6}$ x with special weather-proof construction. No. 216 for Sash Swinging OUT. No. 217 for Sash Swinging 1N.

Nos. 216CM and 217CM for 51/4" STUD WALL—Same as Nos. 216 and 217 except have Crown Mould Cap. Add \$0.57 to price of any size of Frame Nos. 216 and 217, No. 216CM for Sash Swinging OUT. No. 217CM for Sash Swinging IN.

Nos. 226 and 227 for 9" BRICK or CONCRETE WALL—Sill 134x51/2, Jambs 136x51/4 and Brick Mould 11/6x2. No. 226 for Sash Swinging OUT. No. 227 for Sash Swinging IN.

Nos. 236 and 237 for BRICK VENEER WALL—SIII 13/4x71/4, Jambs 13/4x6, Brick Mould 11/ex2 and Wind-Break Lining 3/4x33/4. No. 236 for Sash Swinging OUT. No. 237 for Sash Swinging IN.

When Sash Frames are to be used with our Narrow Line Type Window Frames, illustrated on Pages No. 7, 8 and 9, use prices shown for Frames No. 236 and 237 priced below and mark "NL" after Frame Number.

Priced per Frame

	Frames	for Sash Swin	ging OUT	Frames	for Sash Swin	ging IN
Opening	No.	No.	No.	No.	No.	No.
Sizes	216	226	236	217	227	237
2- 0x2- 1	\$2.27	\$2.48	\$3.16	\$2.27	\$2.48	\$3.16
2- 6	2.70	3.54	4.33	2.70	3.54	4.33
3- 0	3.05	3.85	4.77	3.05	3.85	4.77
3- 6	3.35	4.22	5.34	3.35	4.22	5.34
4- 0	3.79	4.62	5.91	3.79	4.62	5.91
4- 6	3.98	4.81	6.19	3.98	4.81	6.19
2- 4x2- 1	2.42	2.64	3.33	2.42	2.64	3.33
· 2- 6	2.85	3.73	4.52	2.85	3.73	4.52
3- 0	3.20	4.02	4.99	3.20	4.02	4.99
3- 6	3.50	4.40	5.52	3.50	4.40	5.52
4- 0	3.95	4.81	6.12	3.95	4.81	6.12
4- 6	4.13	4.99	6.38	4.13	4.99	6.38
2- 8x2- 6	3.35	3.97	4.86	3.35	3.97	4.86
3- 0	3.70	4.28	5.30	3.70	4.28	5.30
3- 6	4.00	4.65	5.86	4.00	4.65	5.86
4- 0	4.45	5.05	6.44	4.45	5.05	6.44
4- 6	4.63	5.24	6.71	4.63	5.24	6.71
4-10	4.80	5.45	6.95	4.80	5.45	
2-10x2- 1	3.07	3.91	4.57	3.07	3.91	4.57
2- 6	3.51	4.19	5.06	3.51	4.19	5.06
2- 3- 0	3.85	4.49	5.51	3.85	4.49	5.51
3- 6	4.15	4.86	6.06	4.15	4.86	6.06
4- 0 4- 6 4-10	4.60 4.79 4.96	5.26 5.45 5.67	6.63 6.91 7.15	4.60 4.79 4.96	5.26 5.45 5.67 5.80	6.63 6.91 7.15 7.38
5- 2 5- 6	5.13 5.32	5.80 6.05	7.38 7.78	5.13 5.32	6.05	7.78

For Smaller or Intermediate Regular Sizes Take Price of Next Larger Size.


				d add	
Triple Frames tak	e 3 times the	Single Frame	Price and	add	.80
Quadruple Frame	s take 4 times	the Single F	rame Price	and add	1.30

EXTERIOR DOOR FRAMES

WESTERN PINE

With or Without Weatherstrip

Kiln-Dried WESTERN PINE insures a more durable and uniform paint job. More Weather Resistant than other woods. Each Frame accurately machined, ready to nail up and packed in one sturdy bundle. Can be furnished with or without Weatherstrip. Necessary weatherstrip priced separately below.



When ordering, always state whether for 13/4" or 13/4" Door

No. 213 for 51/4" STUD WALL—Sill 1½x71/4, Jambs 1½x51/4, Outside Casings 11/gx41/2 and Drip Cap 11/gx15/6 with special weather-proof construction.

No. 213CM for 51/4" STUD WALL—Same as No. 213 except has Crown Mould Cap. Add \$0.57 to price of any size of Frame No. 213.

No. 223 for 9" BRICK WALL—Jambs 1½x51/2 and Brick Mould 11/gx2.

No. 229 for 13" BRICK WALL-Jambs 15/8x91/2 and Brick Mould 11/8x2.

233 for BRICK VENEER WALL-Jambs 13/8x6, Brick Mould 11/9x2 and Wind-Break Lining 3/4x41/2.



When Door Frames are to be used with our Narrow Line Type Window Frames illustrated on Pages No. 7, 8 and 9 use prices of our No. 213 Frame shown below and mark "NL" after Frame Number.

WEATHERSTRIP

Priced Separately

Weatherstrip for the Jambs and Head is the Cushion Type made of Spring Bronze and the Sill Weatherstrip consists of Interlocking Strip and Threshold. When desired, please specify when ordering.

Priced per Frame for 13/8" or 13/4" Door

Door	Frame	Frame	Frame	Frame	Add for
Sizes	No. 213	No. 223	No. 229	No. 233	Weatherstrip
2-6x6-6	\$4.75	\$4.62	\$7.95	\$5.53	\$4.07
6-8	4 92	4.53	8.15	5.53	4.07
7-0	5.84	5.32	9.42	5.89	4.35
2-8x6-8	4.92	4.60	8.39	5.89	4.07
7-0	5.84	5.32	9.42	5.89	4.35
3-0x6-8	5.19	4.67	8.53	5.89	4.35
7-0	5.84	5.32	9.42	5.89	4.35
5-0×6-8 7-0	6.31 6.48	5.54 5.68	9.47 9.93	6.72 6.90 Next Larger Size.	7.30 7.30

Frame Extras

Oak Sills for Frame No. 213, 3-0 wide and less-add	\$1.25
5-0 wide and less—add	
Oak Sills for Frames No. 223 and 233, 3-0 wide and less-add	2.28
5-0 wide and less-add	
Circle, Gothic, Tudor or Segment Head Frames, add	9.00
Reducing Width of Jambs or Pulley Stiles, add	
Increasing Width of Jambs or Pulley Stiles, add	
Frame for Door with One Side Light, take two times single price.	
Frame for Door with Two Side Lights take three times single price.	

GARAGE DOOR FRAMES

For Doors 8-0x8-0 and Smaller

No. 268 Jamb 15/251/2 with 3/4x13/4 Rabbet Strip, Completely machined, K. D.........\$5.15 No. 269 Jamb 15/8x71/2 with 3/4x13/4 Rabbet Strip, Completely machined, K. D........ 6.36

GLAZED WINDOWS

Weather-Proof

CLEAR WESTERN PINE

Two Light 13/8" Check Rail



Our Windows are made with the **Special Putty Lock**, which locks the putty and absolutely prevents it from falling off. Before Glazing, this **Special Putty Lock** as well as the *Glass Trace are primed with Pure Linseed Oil* to make a perfect bond between putty and wood. Machine Sanded. Selected Flat Drawn Glass is used exclusively.

Note: Single Lights of Window designs 2, 3 and 6 are Back Puttied.









No. 2

No. 3

No. 6

No. 12

Windows of Glass widths of 18" or less are divided 2 Lights wide in Designs 3, 6 and 12. Glass widths 20" to 30" inclusive are divided 3 Lights wide. Glass widths over 30" are divided with increased proportionate number of lights.

CI CI	ded willi ilicied			N- 2	No. /	No. 12
Glass Sizes	Opening Sizes	Open	o. 2——— Glazed	No. 3 Glazed	No. 6 Glazed	No. 12 Glazed
16x20	I- 8x3-10	\$0.95	\$1.44	\$1.97	\$2.05	\$2.28
24	4- 6	1.21	1.91	2.14	2.21	2.45
18x14	I-10x2-10	1.09	1.61	1.77	1,91	2.56
20	3-10	.97	1.54	1.73	1.80	1.99
24	4- 6	1.02	1.76	1.97	2.03	2.14
28	5- 2	1.31	2.34	2.45	2.66	2.74
20x14	2- 0x2-10	.91	1,31	1.52	1.69	2.14
16	3- 2	.95	1.44	1.66	1.82	2.17
18	3- 6	1.00	1.54	1.82 1.98	1.92 2.17	2.25 2.42
20 22	3-10 4- 2	1.02	1.78	2.48	2.60	3.00
24	4- 6	1.06	1.88	2.17	2.26	2.61
26	4-10	1.09	1.92	2.69	2.80	3.19
28	5- 2	1.12	2.04 2.56	2.79	2.90 3.02	3.31 3.42
30	5- 6	1.37	2.50	2.70		
22x24	2- 2x4- 6	1.09	1.94	2.23	2.33 2.90	2.76 3.34
26 28	4-10 5- 2	1.12 1.15	2.04 2.13	2.90	3.02	3.48
30	5- 6	1.42	2.75	3.10	3.21	3.59
24x14	2- 4x2-10	.97	1.52	1.72	1.89	2.22
16	3- 2	1.00	1.61	1.82	1.98	2.32
18	3- 6	1.02	1.76	2.05	2.15	2.48
20	3-10	1.06	1.88	2.17	2.26 2.33	2.53
22 24	. 4- 2	1.09	1.94 2.11	2.23 2.40	2.49	2.76
26	4-10	1.15	2,13	2.42	2.52	2,78
- 28	5- 2	1.17	2.28	2.58	2.68	2.91
30	5- 6	1.21	2.39	3.33	3.35	3.59
26x14	2- 6x2-10	1.00	1.57	1.77	1.93	2.27
16	3- 2	1.02	1.76	1.98	2.15	2.48
18 20	3- 6 3-10	1.06	1.88	2.23	2.33	2.86
22	4- 2	1.12	2.04	2.32	2,42	2.88
24	4- 6	1.15	2.13	2.42	2.52	2.91
26	4-10	1.17	2.28	2.58 3,31	2.68 3.44	2.95 3.75
28 30	5- 2 5- 6	1.21	2.47 2.63	3.50	3.62	3.92
28x14	2- 8x2-10	1.02	1.72	1.93	2.11	2.43
16	3- 2	1.06	1.81	2.03	2.19	2.53
20	3-10	1.12	2.04	2.32	2.42	2.76
24	4- 6	1.17	2.28 2.47	2.58 2.76	2.68 2.88	3.02 3.17
26 28	4-10 5- 2	1.21	2.63	3.50	3.62	3.94
30	5- 6	1.27	2.65	3.54	3.66	4.06
30x16	2-10x3- 2	1.09	1.89	2.12	2.28	2.62
20	3-10	1.15	2.13	2.42	2.52 2.80	2.71
24 26	4- 6 4-10	1.21 1.23	2.39	2.70	3.03	3.07
28	5- 2	1.52	3.18	3.54	3.65	3.84
30	5- 6	1.56	3.64	4.01	4.13	3.98
		(Con	tinued on next	page)		

GLAZED WINDOWS

Weather-Proof

CLEAR WESTERN PINE

Two Light 13/2" Check Rail

Glass	Opening	Open N	lo. 2——	No. 3	No. 6	No. 12
Sizes	Sizes		Glazed	Glazed	Glazed	Glazed
32x24	3- 0x4- 6	\$1.29	\$2.67	\$3.06	\$3.18	\$3.37
26	4-10	1.33	2.68	3.08	3.21	4.21
28	5- 2	1.63	3.71	4.15	4.19	4.21
36x24	3- 4x4- 6	1.36	2.90	3.93	4.10	3.53
38x14	3- 6x2-10	1.39	2.63	2.92	3.13	3.59
24	4- 6	1.48	3.17	3.57	3.69	3.69
26	4-10	1.82	4.14	4.61	4.76	4.71
40×24	3- 8x4- 6	1.78	3.81	4.37	4.56	5.22



Four Light Modern Design 13/8" Check Rail No. 19

This New Four-Light Modern Design Window can be furnished promptly, for prices take the price of our No. 2 Design Window in the sizes you require and add per window as follows:

Sizes	up to and	including 30"	Glass Width,	Add\$0.28
Sizes	32" Glass	Width and O	ver, Add	

No. 19

For Diffusex (Obscure Glass) add \$0.25 per half Window to prices shown above.

GLAZED CASEMENT SASH





74





70

78

	Priced per Sa	ash (13/8"	thick) Glazed	Clear Glass	
Glass Sizes	Opening Sizes	Design No. 70	Design No. 76	Opening Sizes	Design No. 75
16x20 20x20 24 24x20 24	1-8x2-1 2-0x2-1 2-5 2-4x2-1 2-5	\$0.84 .97 1.04 1.04 1.13	\$ 1.11 1.49	1- 81/4 x 4-53/4 1-101/4 2- 01/4 2- 21/4 2- 41/4 2- 61/4	\$1.98 2.12 2.26 2.38 2.42 2.56
Glass Sizes 8x10 8x14 9x12 10x12	Opening S 1- 8 ¹ / ₄ x2-1 1- 8 ¹ / ₄ x3-1 1-10 ¹ / ₄ x3-2-0 ¹ / ₄ x3-	11/ ₂ 11/ ₂ 51/ ₂	Design No. 78 \$1.14 1.42 1.33 1.38	1-101/4×5-13/4 2-01/4 2-21/4 2-41/4 2-61/4	2.47 2.58 2.68 2.74 3.00

Sizes not listed furnished at proportionately low prices from machined K.D. parts.

Any Casement Sash can be furnished rabbeted in pairs. Take double the price and add \$0.40 per pair. If wood weatherlip for bottom rail of sash is wanted, add \$0.27 per sash or \$0.45 per pair. For rabbeting Bottom Rails of "Swing In" Sash, add \$0.30

GLAZED BARN AND DAIRY SASH



Clear Western Pine







	20-11/8" 21-13/8"	
--	----------------------	--

No. 24-11/8" Thick No. 25-13/8" Thick

Glass Sizes	Opening Sizes	No. 20 11/8" Thick	No. 21 1¾" Thick	Glass Sizes	Opening Sizes	No. 24 11/8" Thick	No. 25 13/6" Thick
8x10 9x12 14 10x12	1- 8x2-1 1-10x2-5 2-9 2- 0x2-5	\$0.81 .91 .98 .95	\$0.87 .98 1.03 1.02	8x10 9x12 10x12 16	2- 4x2-1 2- 7x2-5 2-10x2-5 3-1	\$1.05 1.20 1.26 1.68	\$1.11 1.26 1.37 1.78
Glass Size 8x10	Opening Size 2-4x2-11	Thick	No. 29 \$1.57	Glass Size 9x12	Opening Size 2-7x3-5	Thick	No. 29 \$1.86


STORM SASH AND SCREENS

Clear Western Pine — 11/8" Thick — Best Quality

All joints mortised and tenoned and pinned. Storm Sash Glazed with Selected Flat Drawn Glass. Screens are wired with 16-Mesh Galvanized Wire.

Storm Sash and Window Screens are supplied with wide bottom rails to take care of irregular openings and variations in pitch of Window Frame Sills.

Acceptance and Shipment of orders for Storm Sash and Screens subject to stock on hand.









No. 100 Galv. Wire

No. 92 (Two Light)

No. 94 (Four Light)

No. 96 (Twelve Light)

Priced per Glazed Storm Sash or Wired Screen

STORM SASH No. 92	Glass Sizes	Number of Lights	Outside Measurements (Sash or Screen)	WINDOW SCREENS Galvanized No. 100
\$1.42	16x20	2	I- 8x3-111/2	\$1.31
1.56	24	2	4- 71/2	1.44
1.51	18x20	2	I-10x3-111/2	1.37
1.73	24	2	4- 71/2	1.51
1.29	20×14	2	2- 0x2-111/2	1.21
1.42	. 16	2	3- 31/2	1,29
1.51	18	2	3- 71/2	1.36
1.67	20	2	3-111/2	1.44
1.76	22	2	4- 31/2	1.51
1.84	24	2	4- 71/2	1.56
1.92	26	2	4-111/2	1.63
2.00	28	2	5- 31/2	1.71
2.09	30	2	5- 71/2	1.78
1.92	22x24	2	2- 2x4- 71/2	1.63
2.00	26	2	4-111/2	1.71
2.09	28	2	5- 31/2	1.78
2.25	30	2	5- 71/2	1.86
1.50	24x14	2	2- 4x2-111/2	1.31
1.58	16	2	3- 31/2	1.39
1.73	18	2	3- 71/2	1.46
1.84	20	2	3-111/2	1.54
1.92	22	2	4- 31/2	1.63
2.07	24	2	4- 71/2	1.71
2.09	26	2	4-111/2	1.78
2.25	28	2	5- 31/2	1.86
2.36	30	2	5- 71/2	1.93
2.62	32	2	5-111/2	2.00
1.53	26×14	2	2- 6x2-111/2	1.36
1.73	16	2	3- 31/2	1.44
1.84	18	2	3- 71/2	1.54
1.92	20	2	3-111/2	1.61
2.00	22	2	4- 31/2	1.68
2.09	24	2	4- 71/2	1.76 1.86
2.25	26 28	2 2	4-111/2	1.86
2.42	30	2	5- 31/ ₂ 5- 71/ ₂	2.01
4.30	30	4	3- //2	2.01
1.69	28×14	2	2- 8x2-111/2	1.41
1.78	16	2	3- 31/2	1.49
2.00	20	2	3-111/2	1.66
2.25	24	2	4- 71/2	1.83
2.42	26	2	4-111/2	1.91
2.58	28	2	5- 31/2	2.01
2.61	30	2	5- 71/2	2.08
		(Continued on	next page)	

(Continued on next page)

STORM SASH AND SCREENS

Clear Western Pine — 11/8" Thick — Best Quality

(Continued from previous page)

STORM		Number	Outside	WINDOW SCREENS
SASH	Glass	of	Measurements	Galvanized
No. 92	Sizes	Lights	(Sash or Screen)	No. 100
\$1.87	30x16	2	2-10x3- 31/2	\$1.54
2.09	20	2	3-111/2	1.73
2.36	24	2	4- 71/2	1.91
2.59	26	2	4-111/2	1.98
2.61	28	2	5- 31/2	2.08
2.98	30	2	5- 71/2	2.15
2.62	32x24	2	3- 0x4- 71/2	1.96
2.65	26	2	4-111/2	2.06
3.03	28	2	5- 31/2	2.15
2.85	36x24	2	3- 4x4- 71/2	2.11
2.58	38x14	2	3- 6x2-111/2	1.66
3.12	24	2	4- 71/2	2.18
3.12	40×24	2	3- 8x4- 71/2	2.25
No. 94				
\$2.25	12x24	4	2- 5x4- 71/2	\$1.73
2.34	26	4	4-111/2	1.81
2.47	28	4	5- 31/2	1.87
2.65	30	4	5- 71/2	1.98
No. 96				
\$2.39	8x10	12	2- 41/2×3-111/2	*****
2.61	9x12	12	2- 71/2×4- 71/2	*****
2.81	14	12	5- 31/2	*****
2.85	10x12	12	2-101/2×4- 71/2	*****

FOR STORM SASH VENTILATORS......ADD \$0.20 Per Storm Sash

HARDWARE No. 1076 for Hanging Storm Sash or Screens consists of One Pair of



CABINET DOORS

Clear Western Pine - Machine Polished

Description

- 3/4" Thick Clear Western Pine and Fir Panel -

		Priced	per Door		
Sizes		Sizes		Sizes	
1-0x1-2	\$0.62	1-4x2-4	\$0.91	1-8x2-0	\$0.77
1-0x1-6	.62	1-4x2-6	.91	1-8x2-6	1.02
1-2x2-0	.70	1-4x3-0	.99	1-8x3-0	1.12
1-2x2-6	.85	I-6x2-0	.77	1-8x3-6	1.31
1-2x3-0	.94	1-6x2-6	.94	I-8x4-0	1.44
1-2x3-6	1.10	1-6x3-0	1.04	2-0x2-6	1.12
1-2x4-0	1.20	1-6x3-6	1.20	2-0x3-0	1.26
1-4x2-0	.75	I-6x4-0	1.34	2-0x3-6	1.44



No. 43

WESTERN PINE HOT BED SASH

Famous for their strength and durability. Overall size

SCREEN DOORS

For the present we can only supply Window Screens, Screen Doors and Combination Doors WITHOUT SCREEN WIRE. This is temporary and we expect to be able to supply "Wired" items by the latter part of the (1945) year.

Strongly made with extra heavy stiles put together with mortise and tenon joints glued and blind nailed. Made slightly over size to insure closer fitting, Machine sanded.



No. 118

Clear Western Pine

No. 122 Wired with 16-Mesh Galvanized Wire. No. 118 Wired with 12-Mesh Black Wire.

Priced per Complete Door

		No. 118		No. 122
		Black		Galv.
	No. 118A	Wire	No. 122A	Wire
Sizes	Open	7/8" Thick	Open	11/8" Thick
2-61/4x6-7	\$2.00	\$2.45	\$2.80	\$3.38
2-81/4x6-9	2.00	2.45	3.04	3.65
2-81/4x7-1			3.12	3.77
3-01/4x6-9			3.30	3.97
3-01/4×7-1			3.38	4.08

No. 122



COMBINATION STORM AND SCREEN DOORS

Clear Western Pine - 11/8" Thick



No. 140

A Storm Door in Winter—a Screen Door in Summer, Screen Wired with 16-Mesh Galvanized Wire. Sash Glazed with Flat Drawn Glass,

No. 140 and 142 Glazed and Wired 16 Mesh Galvanized No. 140A and 142A Sash Insert Glazed— Screen Insert Open, Not Wired

		4		
Sizes	No. 140A	No. 140	No. 142A	No. 142
2- 61/2×6- 7 6- 9	\$6.59	\$7.04 7.10	\$6.07	\$6.37
2- 81/2×6- 9	6.88	7.33	6.37	6.77
7- 1 2-101/2×6-11	7.17 7.34	7.62	6.78	7.08
3- 01/2×6- 9 7- 1	7.24 7.54	7.69 7.99	6.80 7.16	7.10 7.46



No. 142

ass Putty 15


CIRCLE HEAD COMBINATION STORM AND SCREEN DOORS

True Half Circle. Same specifications as No. 140 illustrated above.

		No. 148			No. 148
Sizes	Thick	Galv. Wire	Sizes	Thick	Galv. Wire
3-0x6-9	11/8"	\$20.52	3-0x7-1	11/8"	\$20.90

STEEL BASEMENT WINDOWS

NEW STANDARDIZED POST-WAR SIZES AND DESIGN



This sash is offered in the new design and sizes as agreed upon by the Steel Sash Industry for Post-War manufacture. We are first to offer it to our customers. We have incorporated in our Sash easier operating features and greatly improved construction.

No. 1242

Priced Per	Opening—Open—Glazing	Clips Included	ł
		•	GI
No. Lts.	Wall Opening	Price	and
2	2-87/8×1- 25/8 2-87/8×1- 65/8	52.44	\$1.
2	2-8 1/8 x 1 - 65/8	2.55	1.3
2	2-8 ⁷ / ₆ ×1-10 ⁵ / ₆	2.70	1.3

ALWAYS ORDER BY OUR CATALOG NUMBERS

Glass Size

15x12

15x20

ASSEMBLED BASEMENT SASH UNIT

Clear Western Pine - Draft Proof

This Unit supplied with Frame, Glazed Sash, Screen and all Hardware — com-pletely Assembled ready to set in place. New Type Hinges swing the Sash inward and hold it open in two positions and comes complete with strong lock.

Screen, wired with 16 Mesh Galvanized Wire included in unit price. Two Light Storm Sash, (interchangeable with screen) Glazed with Clear Glass is priced separately below



Priced per Complete Assembled Unit No. 249, including Frame, Glazed Sash, Screen

and Hardware

Glass Sizes	Lights	Wall Opening	Unit Price	Add for Storm Sash
8x10 9x10 9x12 9x18 10x 9 10x12 10x16 10x20	3 3 3 3 3 3 3 3 4	2- 5'/4x1- 33'/6 2- 8'/4x1- 33'/8 2- 8'/4x1- 53'/6 2- 8'/4x1-113'/6 3- 2 x1- 4 2-11'/4x1- 53/6 2-11'/4x2- 13'/6	\$4.03 4.27 4.40 5.04 4.55 4.57 4.99 5.39	\$0.98 1.05 1.08 1.33 1.05 1.12 1.33 1.46 1.27
10x 9	4	3- 51/4×1- 53/8	5.30	



CELLAR FRAMES AND SASH

Clear Western Pine

Nore Weather Resistant, Kiln Dried Western Pine insures a more uniform paint job.

Frame No. 228 has Brick Mould $11/6 \times 2$, Heavy Jamb $13/4 \times 51/2$ and Sill $13/4 \times 51/2$ packed in one sturdy bundle.

Sash Nos. **32** and **33** are 13%11 Thick and Glazed with Flat Drawn Glass.





Frame

228

Priced per Frame or Glazed Sash

Opening Sash Frame Glass No. Opening Sash

Sizes		Sizes	No. 32	No. 228	Sizes	Lts.	Sizes	No. 33	No. 228
10x12 10x16	2	2-1x1-4 2-1x1-8	\$0.75	\$	8x10 9x12	3	2- 4x1-2 2- 7x1-4	\$0.79	\$1.20
12x16 14x16	2 Special able f	2-5x1-8 2-9x1-8 sizes of f or promp	.99 1.05 rames av	1.44 ail-	9x14 10x12 10x14 10x16	3 3 3	1-6 2-10x1-4 1-6 1-8	.96 .93 1.00 1.04	1.44 1.48 1.52

OVERHEAD GARAGE DOOR HARDWARE

FOR USE WITH OLD OR NEW DOORS

Only 5" Headroom Required

With our Overhead Hardware, any carpenter can easily transform present swinging or sliding doors into a smooth-operating one-piece overhead door.

When New Doors are required we suggest our Garage Doors No. 392, 393, 395 or 396. Anyone of these four Designs will give you an ideal installation.



No. 1199

Can be used for any size door opening up to and including 8-0 Wide and 8-0 High and 13/8" or 13/4" Thick.

Complete instructions and working drawings are packed with each set.

No. 1199-WEIGHT BALANCED TYPE - A High Quality Overhead Set at a very attractive price that will give you a very satisfactory Overhead Operator. The door is guided by two Vertical tracks on the jamb and by a hori-

zontal track overhead. This simple and sturdy design has gained its universal acceptance

\$12.95

STANDARD GARAGE DOORS

Manufactured of Edge Grain Old Growth Douglas Fir, Heavy Raised Panels, Strong and Well-Proportioned. Wood Stops for glass mitred and tacked in all Doors.





Description

Prices shown are Open, Glazed and Open with Clear Glass cut to size and boxed separately to save freight.

Two Sizes

8-0x7-0 8-0x7-6

Priced per Pair or Set - 14" Thick (All Sizes Same Price) - 395 -- 396 -

Open Glass Boxed Glazed

Open

Glass Boxed

Glazed


\$ 3.75


\$15.50 \$16.39 **\$14.40 \$16.15** \$ 7.03

Batten for Pairs Garage Doors No. 395 add \$0.35

COLONIAL GARAGE DOORS

Manufactured of Old Growth Douglas Fir with Raised Panels. Appropriately designed for homes of Early American Architecture.





392

All Wood Panels

Top Panels Glazed

Priced per Set of Three Doors - 13/8" Thick

All Wood Panels	Top Panels Glazed
\$13.80	\$
14.13	******
14.85	16.50
15.15	16.88
	\$13.80 14.13 14.85

STURDY GARAGE DOOR HARDWARE

For Doors No. 392, 393, 395 and 396 illustrated above.



1195

1196

10" T 1195-For Pairs ...\$2.95

1196—For Sets of Three Garage Doors No. 392, 393 and 396 (2 to fold and I to swing separately) consists of large swivel hanger, 6 feet track, 41/2 pairs 4" hinges, chain bolt, foot bolt, door pull, door latch and I pair padlock eyes. Japanned Steel. Packed complete with screws, staples, bolts, etc. eyes. Ja Per Set

See Page 17 for Overhead Type Garage Door Hardware



OVERHEAD TYPE SECTIONAL GARAGE DOORS

Two Direct Action Springs - Three Sections Rot-Proofed - All Hardware Included

Due to restrictions at the present time on materials used in manufacturing Overhead Doors it is necessary that all orders for Overhead Doors be accompanied with a priority extension of AA2X or better. This restriction may be lifted—contact us when you are in need of Overhead Doors.



Top Section Open for Glass or Wood Panels in All Sections.

Both Designs Same Price.

Priced Per Complete Opening Including Doors, All Hardware and Cylinder Lock.

Nos. 376-377 - Single Car Size

Three Sections — Four Panels Wide — 121/2" Headroom No. 376 Top Section Open for Glass No. 377 All Panels — No Glass Openings

Sizes

8-0x6-6 8-0x7-0 Price

FOR TWO-CAR GARAGE



No. 378—Top Section Open for Glass.
No. 379—All Panels—No Glass Openings.

Both Designs and Sizes, same price.

Specifications for Above Doors

ROL-EASY DOORS are mortised, tenoned, waterproof glued and steel doweled. These doors are furnished in only one thickness (1%"). The horizontal meeting rails are shiplap rabbeted, making a weather-tight joint. The sections are drilled for hardware, thus making installation much easier and more accurate. The doors are made to the net sizes as shown above and are sanded ready for painting. Complete step-by-step erection instructions are packed with the hardware.

HARDWARE includes all necessary screws, bolts, nuts, etc., for fastening hardware to the door and for anchoring tracks to the wood jambs. The vertical track is mounted on angle clips and reinforced with angle iron at the connection of the vertical and horizontal tracks. Chain used for lifting the door and necessary sheaves are furnished. Hinges are of formed steel. The lock-rods extend the full width of the door, and lock into the track. The lock is furnished with a tumbler cylinder. Locks can be keyed alike at no extra cost, if wanted be sure to state when ordering. Special oil-tempered extension springs are turnished and are easily adjusted so that the door will be properly counter-balanced and controlled at any position.

Ve would be glad to furnish Clear Glass and Glaze the top sections of above Doors - if desired, add \$2.95 to the Single Car Sizes or \$5.15 to the Two Car Sizes.

For other designs and sizes of ROL-EASY Overhead Type Doors See Pages No. 20 and 21



OVERHEAD TYPE SECTIONAL GARAGE DOORS

Two Direct Action Springs—Four Sections— Rot-Proofed—Complete With All Hardware

Due to restrictions at the present time on materials used in manufacturing Overhead Doors it is necessary that all orders for Overhead Doors be accompanied with a priority extension of AA2X or better. This restriction may be lifted—contact us when you are in need of Overhead Doors.



No. 399-Door Partly Open

HARDWARE has been especially designed for overhead doors, thus simplifying parts. Hinges are eight inches long, of formed steel, and are fastened to the door by bolts. All door rollers are ball-bearing, as are the sheaves over which the lifting chain passes.

All necessary screws, bolts and nuts, etc., are furnished. Doors may be locked on the inside or on the outside by turning the lock handle. They are automatically unlocked from the outside by a key. The locking device is provided with a tumbler cylinder, and with lock rods engaging the tracks on each side. Doors can be keyed alike at no extra charge and when required be sure to so state on your order. All hardware has rust-resisting black japan finish.

The continued increased volume of repeat business for this nationally used ROL-EASY Overhead Garage Door indicates that it is recognized as efficient, accurately fabricated, architecturally designed and economical.

Can easily be installed in any building — old or new. No special frame required — ordinary 2 x 6's are sufficient. Exceptionally low head room requirement (as low as 71/2" if necessary) makes possible more economical installations.

DOORS are Mortised, Tenoned, Waterproof Glued and Steel Doweled for extra strength. Wood Stops, tacked in, are included for Glass Openings — Glass if desired, furnished as an extra.



No. 399-Door Fully Closed

Complete installation instructions included with each set. No previous experience necessary, any carpenter can erect in approximately the same time it takes for any ordinary set of Garage Doors.

No. 399 — STANDARD STOCK SIZES — No. 399

Opens Easier

Closes Tighter

Unless ordered otherwise, the Third Section from Bottom will be open for glass. Wood Panels in all Sections or any arrangement of Glass Openings can be furnished at no extra cost. If wanted, be sure to specify when ordering.

Priced per complete opening including Doors, all Hardware and Cylinder Lock.

SINGLE CAR SIZES

Six Panels Wide - Four Sections - 121/2" Headroom

Size of Opening 8-0x6-6 8-0x7-0 8-0x7-6 8-0x8-0

13/8" Thick \$39.75 134" Thick \$46.75

Doors Four Panels Wide will be furnished at same price, when so specified.

TWO CAR SIZES

Eight Panels Wide - Four Sections - 121/2" Headroom

Size of	13/8"	13/4"	Size of	13/8"	13/4"
Opening	Thick	Thick	Opening	Thick	Thick
14-0x6-6	\$70.98	\$78.08	15-0x7-6	\$87.75	\$105.30
14-0x7-0	76.44	84.08	15-0x8-0	93.60	112.32
14-0x7-6	81.90	98.28	16-0x6-6	81.12	97.34
14-0x8-0	87.36	104.83	16-0x7-0	87.36	104.83
15-0x6-6	76.05	83.66	16-0x7-6	93.60	112.32
15-0x7-0	81.90	98.28	16-0x8-0	99.84	119.81

NOTE

> For other designs and sizes of ROL-EASY Overhead Type Doors See Pages No. 19 and 21



OVERHEAD TYPE SECTIONAL GARAGE DOORS

Direct Action Springs—Rot-Proofed Complete With All Hardware

CONVENIENTLY opens "overhead and out of the way." Just a slight upward lift, and your ROL-EASY rolls on its way to an overhead position. An easy pull and it glides smoothly and quietly, without effort, to its



smoothly and quantities of the property of the

operate *ROL-EASY* Doors. Carefully selected counter-balance springs keep the doors in perfect balance at all positions. No tugging and pulling of dead weight required. Full ball-bearing track rollers, plus power from the springs keep *ROL-EASY* Doors alive and in perfect operating condition.

No. 399 — SPECIAL SIZES — No. 399

13/4" Thick - Made Promptly to Exact Size - 121/2" Headroom

These special size doors are accurately made to the same rigid specifications as shown on the preceding page for stock doors. At least 12½" Headroom is required. Doors over 144 square feet should have 18" of headroom to permit the use of 20" radius track. All doors 12'1" to 14'0" wide are provided with three U-shaped steel reinforcing struts. Doors over 14'1" wide have a strut for each section and one extra for the bottom section. The struts prevent sag of the sections when they are in the horizontal position. Struts are included in the prices listed below.

Can be furnished with one or more Sections open for Glass or all Wood Panels as you prefer, give design when ordering. Also important you state kind of Glass that will be used, as this information is needed so we can furnish springs of correct tension.

Priced per complete opening including Doors, all necessary Hardware and Lock,

		m	ade to th	ie exact	size of th	e openin	g.		
Width				- Hei	ight (up t	0)			
(up to)	7-0	7-6	8-0	8-6	9-0	9-6	10-0	10-6	11-0
8-0	\$54.91	\$54.91	\$54.91	\$58.34	\$61.78	\$65.21	\$68.64	\$72.07	\$75.50
8-6	54.91	54.91	58.34	62.00	65.64	69,29	72.93	76,58	80.22
9-0	54.91	57.92	61.78	65.64	69.50	73.36	77,22	81.08	84.94
9-6	57.06	61.14	65.21	69.29	73.36	77.44	81.51	85.59	97.81
10-0	60.06	64.35	68.64	72.93	77.22	81.51	93.60	98.28	102.96
10-6	63.06	67.57	72.07	76.58	81.08	85.59	98.28	103.19	108.11
11-0	66.07	70.79	75.50	80.22	84.94	97.81	102.96	108.11	113.26
11-6	69.07	74.01	78.94	83.88	96.88	102.26	107.64	113.02	118.40
12-0	72.07	77.22	82.37	95.47	101.09	106.70	112.32	117.94	123.55
12-6	75.08	80.44	93.60	99.45	105.30	111.15	117.00	122.85	128.70
13-0	78.08	83.66	97.34	103.43	109.51	115.60	121.68	127.76	133.85
13-6	81.08	94.77	101.09	107.41	113.72	120.04	126.36	132.68	139.00
14-0	84.08	98.28	104.83	111.38	117.94	124.49	131.04	137.59	168,17
14-6	95.00	101.79	108.58	115.36	122.15	128.93	135.72	166.26	174.17
15-0	98.28	105.30	112.32	119.34	126.36	133,38	140.40	171.99	180.18
15-6	101.56	108.81	116.06	123.32	130.57	137.83	169.26	177.72	186.19
16-0	104.83	112.32	119.81	127.30	134.78	165.98	174.72	183.46	205.92
16-6	108.11	115.83	123.55	131.27	139.00	171.17	180.18	189.19	212,36
17-0	111.38	119.34	127.30	135.25	167.08	176.36	185.64	208.85	218.79
	-	11		11 1 01					

For smaller or intermediate Sizes, take price of next larger Size. We can supply larger sizes at proportionate prices. Please send us measurements and Headroom conditions for our special quotation.

PANEL LAYOUT

Heights	Widths
6-5 to 8-6—4 Sections High 8-7 to 10-6—5 Sections High 10-7 to 12-6—6 Sections High 12-7 to 14-6—7 Sections High 14-7 to 16-6—8 Sections High	6-6 to 10-0— 6 Panels or Glass Wide 10-1 to 12-0— 8 Panels or Glass Wide 12-1 to 14-0—10 Panels or Glass Wide 14-1 to 16-0—12 Panels or Glass Wide 16-1 to 20-0—14 Panels or Glass Wide

NOTE
If 10½" MINIMUM HEADROOM REQUIRED
Glass and Glazing with Clear Glass, add per Lineal Foot in Width for each Section to be Glazed
Glass and Glazing with 1/4" Rough Wire Glass, add per Lineal Foot in Width for each Section to be Glazed
Glass and Glazing with 1/4" Polished Clear Wire Glass, add per Lineal Foot in Width for each Section to be Glazed
For HIGH LIFT DOORS used in Lubritorium to clear automobile lifts, add as follows: Up to 24" Headroom, Direct Action Springs NO EXTRA CHARGE Up to 60" Headroom, Direct Action Springs 12.00 Up to 60" Headroom, Torsion Springs 19.00
When ordering High Lift Doors be sure to give accurate ceiling height and other details. A rough sketch with accurate measurements insures a perfect installation.
Pass Door 2-6 Wide and 6-0 High can be installed in above Doors, add as follows: Installed in Doors Up to and Including 14-0 Wide, Add


For other designs and sizes of ROL-EASY Overhead Type Doors

See Pages No. 19 and 20

EARLY COLONIAL ENTRANCES

Colonial ornamentation combined with simple lines give richness as well as beauty to our Colonial Entrances.

CLEAR WESTERN PINE For 3-0x6-8 or 3-0x7-0 Doors.





\$21.75




No. 271 \$26.00






MUNICIPAL PROPERTY.

\$32.50







No. 279 \$29.50

Any Design Door You Select Can Be Used in These Entrances.

For	13/8"x51/4"	Jambs	with	Oak	Sill,	Add	\$5.00
101	178 XIU	Jamps	With	Oak	Sill.	Add	0 50
For	13/2" > 10"	Lambe	1	N.	C ****	* 1.1	0.50
. 0.	1 /8 ×10	Jamps	only,	No	2111	Add	5.00

LOW COST FRONT ENTRANCES




Entrance No. 260

New — Attractive — Economical Two Designs - One Price For Door Sizes 3-0x6-8 or 3-0x7-0 Either Design

\$13.75

Includes 51/4" Western Pine Jambs, 71/4" Oak Sill and all Outside Ornamental Work as illustrated. These Two Entrances supplied for Standard Frame Wall Construction only. We challenge anyone to equal this quality at the



Entrance No. 261

Doors illustrated with all Entrances shown on this page are not included in above prices but are priced on Page 23. Any design door you select can be used in these Entrances.

COLONIAL ENTRANCE DOORS

Clear Western Pine

These Doors have been carefully designed for the Home of Colonial or Early American Architecture. Accurately manufactured of Clear Western Pine with Raised Panels. Machine Sanded. Sash Doors have Glass Bedded in Putty and secured by Wood Stops, making the Glass weather-tight.









Panelled Type, Open or Glazed Double Strength (D.S.)

		624	338	626	3	46
Sizes	Thick		D.S.		Open	D.S.
2-8x6-8	13/0"	\$5,53	\$6.53	\$	\$6.53	\$8.30
3-0x6-8	1 3/8"	6.07	6.95	******	6.75	8.71
2-8x6-8	13/4"	7.46	8.57	*****	8.90	9.94
3-0x6-8	13/4"	8.21	9.11	8.48	9.25	10.11
3-0x7-0	13/4"	8.59	9.73		9.84	11.66









)

Priced Glazed Double Strenath

		111000			
Sizes	Thick	330	332	334	336
2-8x6-8 3-0x6-8 3-0x7-0	1 3/4 '' 1 3/4 '' 1 3/4 ''	\$12.06 12.56 15.59	\$15.77 16.22 18.12	\$20.57 19.65 21.50	\$15.35 15.85 18.17



SIDE LIGHTS

We carry in stock Side Light Design No. 80 in size 1-2x6-8. Size 1-2x7-0 is manufactured to order. Clear Western Pine with Raised Panel and Four Lights high. Furnished Open or Glazed Double Strength (D.S.).

Side Light Design No. 80

Sizes	Thick	Open	D.S.
1-2x6-8	13/8"	\$3.54	\$4.13
1-2x7-0	1 3/8 ''	4.44	5.03

Colonial Interior Doors of Beautiful Clear Fir and Clear Western Pine are priced on Page 29

MISSION PLANK DOORS

The Doors for Spanish, English, Normandy and Mediterranean Architecture. Built up on Pine Core to which a heavy V-jointed veneer is installed using water-proof glue by tremendous hydraulic pressure. Stocked in heavy 134" Western Pine, Red Oak and Red Gum, Machine Polished and Glazed.



380 Pine 381 Oak



382 Pine 383 Oak



384 Pine 385 Oak



390 Pine



386 Pine 387 Oak

Western Pine — 13/4" Thick Glazed Double Strength

	-	- Sizes -	
Design	2-8x6-8	3-0x6-8	3-0×7-0
380	\$15.41	\$15.68	\$15,68
382	18.59	18.14	18.48
384	20.29	18.17	18.40
386	21.95	22,92	23.27
388	22.79	21.69	21.69
390	18.77	19.75	20.09

Red Oak or Red Gum — 13/4" Thick Glazed Double Strength

-		Sizes —	
Design	2-8x6-8	3-0x6-8	3-0x7-0
381	\$19.10	\$20,39	\$20.86
383	22.48	23.78	24.26
385	20.09	21.40	21.86
387	25.97	27.28	27.74
389	28.63	29.92	30.38
391	22.80	24.10	24.57



388 Pine

FLUSH VENEERED DOORS

Our Flush Doors are constructed in the most improved manner, using thoroughly Kiln-Dried Cores and Waterproof Glue. Only Veneers properly cured and beautifully figured are selected. Priced below in Western Pine, Red Oak, Red Gum and Birch. Sash Doors are Glazed Double Strength.



360 Pine 361 Oak 362 Birch 363 Red Gum



364 Pine 365 Oak 366 Birch 367 Red Gum



368 Pine 369 Oak 370 Birch 371 Red Gum



372 Pine 373 Oak 374 Birch 375 Red Gum

Priced	Glazed	Double-	Strength
Western Pine	Red	Oak	Rivah

		Western Fine		nea	ned Oak Bi		rcn	Red	Red Gum	
			364-368		365-369		366-370		367-371	
Sizes	Thick	360	372	361	373	362	374	363	375	
2-8x6-8	7.77		\$17.09	\$17.85	\$19.38	\$15.75	\$18.44	\$16.85		
3-0x6-8	13/4"	16.00	17.46	19.00	20.85	17.00	19.60	18.10	19.60	
3-0×7-0	13/4"	17.00	19.57	19.50	21.25	18.00	19.98	19.00	19.98	

Interior Hollow Flush Doors quoted on Page 29.

SASH DOORS

Choice of Beautiful Veneered Red Oak or Solid Western Pine. Glass Bedded in Putty and secured by wood stops making glass weather-tight. Machine Sanded.








302 Pine 303 Oak



304 Pine 305 Oak



306 Pine 307 Oak

Description

Nos. 300, 302, 304 and 306—Clear Solid Western Pine Nos. 301, 303, 305 and 307—Clear Veneered Red Oak These Doors have Extra Wide 6/2" Stiles and Top Rails and 18/2" Bottom Rails. Open, Glazed Double Strength (D.S.) or Plain Plate (Plate)

Western Pine

			- 300 -		3	02 —	30	04	3	06
Sizes	Thick	Open	D.S.	Plate	D.S.	Plate	D.S.	Plate	D.S.	Plate
2-8x6-8 3-0x6-8	13/8"	\$ 4.71 4.88			\$ 8.06 8.57	\$12.37 13.21		\$11.71 13.74	\$ 8.08 8.57	
2-8x6-8 3-0x6-8 3-0x7-0	13/4" 13/4" 13/4"	6.86 7.15 7.69	9.70	13.99 15.72 16.83	10.94	14.62 15.57 16.74	10.77	13.95 16.10 16.63	10.94	14.28 14.60 15.82
				Vanas	rad R	d Oak				

veneered hed Oak

Priority Rating AA-3 or Better Required

		301		3	03	30)5 ——	31	07
Sizes	Thick	Open D.S	. Plate	D.S.	Plate	D.S.	Plate	D.S.	Plate
2-8x6-8		\$ 9.81 \$12.9	4 \$23.25	\$14.61	\$22.87				
3-0x6-8		10.11 13.7	4 24.76	15.32	25.47			14.91	
3-0x7-0	13/4"	10.65 14.3	9 26.24	16.27	27.78	15.52	24.55	15.80	26.93



322 WPFP 308 Oak



323 WPFP 309 Oak



324 WPFP 313 Oak



326 Pine 327 Oak

Description

Nos. 322, 323 and 324—Clear Solid Western Pine with Fir Panels Nos. 308, 309, 313 and 327—Clear Veneered Red Oak No. 326—Clear Solid Western Pine Open, Glazed Double Strength (D.S.) or Plain Plate (Plate)

Western Pine

		322	323	324	3	326
Sizes	Thick	D.S.	D.S.	D.S.	D.S.	Plate
2-8x6-8	13/811	\$6.25	\$7.15	\$7.83	\$7.19	\$12.53
3-0x6-8		6.61	7.47	8.16	7.68	13.54
2-8x6-8	13/4"	8.50	9.50	10.23	8.99	14.50
3-0x6-8	13/4"	8.99	9.97	10.70	9.50	15.54
3-0x7-0	13/4"	9.73	10.70	11.44	9.74	15.92

Veneered Red Oak

Priority Rating AA-3 or Better Required

		3	08 80	309	313	327
Sizes	Thick	Open	D.S.	D.S.	D.S.	D.S.
2-8x6-8 3-0x6-8	13/411 13/411	\$13.28 14.26	\$14.34 15.48	\$15.05 16.09	\$15.63 16.76	\$15.72 15.92
3-0x7-0	13/411	15.05	16.27	16.93	17.56	17.03

We can turnish any door shown on this sheet in Veneered Plain Gum at the prices shown for Red Oak; if wanted, please so specify.

SASH DOORS

Carefully manufactured of Western Pine or Douglas Fir. Glass secured by Wood Stops. Pine Doors have Glass Bedded in Putty in addition to Wood Stops. Machine sanded.



341 Fir 342 Pine



351 Fir 352 Pine





348 Pine



344 Pine

SOFT DOUGLAS FIR Open or Glazed Double Strength (D.S.)

		3		351	35	55
Sizes	Thick	Open	D.S.	D.S.	Open	D.S.
2-6x6-6	13/811	\$4.07	\$4.83	\$5.66	\$4.52	\$5.74
2-6x6-8	13/8"	4.12	4.92	5.79	4.57	5.88
2-8x6-8	13/8"	4.23	5.09	5.90	4.68	5.98
3-0x6-8	13/8"	4.60	5.61		5.05	6.45

CLEAR WESTERN PINE

Open, Glazed Double Strength (D.S.) or Plain Plate (Plate)



325 Pine

		34	12	-	- 348 -		:344	35	2	35	66 —	325
Sizes	Thick	Open	D.S.	Open	D.S.	Plate	D.S.	Open	D.S.	Open	D.S.	D.S.
2-6x6-6	13/8	\$4.64	\$5.34	\$	\$	10.43	7 40	\$5.52 5.72	\$6.69	\$5.52	7 04	\$
2-8x6-8 3-0x6-8	13/8"							5.95				
											8.52	8.99
2-6x6-8 2-8x6-8	13/4	6.78	7.58		8.11		9.73	7.84	8.95	7.84	8.67	9.31
3-0x6-8	13/4" 13/4" 13/4"		8.02	7.67	8.72	13.81	10.41		9.40	8.21	9.57	9.82
3-0x7-0	13/4"	7.64	8.85	8.24	9.28	15.18	10.97	8.71	10.01	8.71	10.08	

FRENCH DOORS

Modern in Design. Solid Western Pine, Veneered Red Oak or Veneered Gum, T Astragal included. Glass secured by Wood Stops, Machine Polished.



672-673

Description

Nos. 672 and 676 Clear Solid Western Pine

Nos. 673 and 677 ear Veneered Red Oak

Doors for Opening 4-0 and 5-0 have $3\frac{1}{18}$ " Stiles and Top Rails —8 $\frac{3}{18}$ " Bottom Rails.

Doors for Opening 5-4 and 6-0 have $4\frac{1}{15}$." Stiles and Top Rails $-9\frac{1}{15}$." Bottom Rails.

Priced per Pair-T Astragal Included Glazed Double Strength (D.S.) 676-677

		672 Pine	673 Oak			672 Pine	673 Oak
Opening	Thick	D.S.	D.S.	Opening	Thick	D.S.	D.S.
4-0x6-8	13/8	\$11.62 12.07	\$21.48 23.19	4-0x6-8	13/411	\$15.03	\$24.04
4-0x7-0	1 7/8	12.07	23.17			676 Pine	677 Oak
		676 Pine	677 Oak	Opening	Thick	D.S.	D.S.
Opening	Thick	D.S.	D.S.	5-0x6-8	13/611	514.22	\$26.85
5-0x6-8	13/4**	\$17.97	\$28.59	5-0x7-0	13/8 13/8 13/8"	14.66	28.88
5-4x6-8	13/4"	18.76	30.17	5-4x6-8	13/8"	15.03	27.75
6-0x6-8	13/4"	19.79	31.11	6-0x6-8	13/8	16.00	28.70
6-0x7-0	13/4" 13/4" 13/4" 13/4"	20.27	32.60	6-0x7-0	13/8	16.50	30.17

furnish Veneered Gum French Doors at the prices quoted for Oak. If wanted, We can so specify on your order.

ATTRACTIVE INTERIOR DOORS

Perfectly Manufactured - Carefully Machine Polished

TWO REGULAR PANEL

No. 611—Clear Soft Douglas Fir No. 612—Clear Western Pine with Fir Panels \$3.42 UP



Sizes	Thick	611	612
2-0x6-0	13/8"	\$3,42	\$3.70
2-0x6-6	13/8"	3.57	3.89
2-4x6-6	13/8"	3.81	4.29
2-6x6-6	13/8"	3.92	4.50
1-6x6-8	13/8"	3.65	3,95
2-0x6-8	13/8"	3.65	3.95
2-4x6-8	13/8"	3.86	4.37
2-6x6-8	13/8"	3.97	4.56
2-8x6-8	13/8"	4.07	4.77
Two Regular	Panel Doors in Plai	n Gum and Red Os	k Illustrated

Two Regular Panel Doors in Plain Gum and Red Oak Illustrated and Priced on Page 29.

\$3.35 UP

FIVE CROSS PANEL

No. 601-Soft Douglas Fir

These Five Cross Panel Doors make an Attractive Door for Low-Cost Colonial Homes.

Thick		Sizes	Thick	
13/8"	\$3.30	2-0x6-8	13/8"	\$3.53
		2-4x6-8	13/8"	3.73
13/8"	3.45	2-6x6-8	13/8"	3.82
13/8"	3.67	2-8x6-8	13/8"	3.93
13/8"	3.77	3-0x6-8	13/8"	4.09
	13/8"	13/8" \$3.30 13/8" 3.45 13/8" 3.67	13/8" \$3.30 2-0x6-8 2-4x6-8 13/8" 3.45 2-6x6-8 13/8" 3.67 2-8x6-8	13/8" \$3.30 2-0x6-8 13/8" 2-4x6-8 13/8" 13/8" 3.45 2-6x6-8 13/8" 13/8" 3.67 2-8x6-8 13/8"





ONE FLAT PANEL

\$3.42

No. 641—Clear Soft Douglas Fir

Designed for all types of architecture. Will stain, paint or finish natural with equal satisfaction,

Sizes	Thick	641	Sizes	Thick	641
2-0x6-0	13/8"	\$3.42	1-6x6-8	13/8"	\$3.65
			2-0x6-8	13/8"	3.65
2-0x6-6	13/8"	3.57	2-4x6-8	13/8"	3.86
2-4x6-6	13/8"	3.81	2-6x6-8	13/8"	3.97
2-6x6-6	13/8"	3.92	2-8x6-8	13/8"	4.07



THREE FLAT PANEL

No. 621-Soft Douglas Fir

	01			_	
Sizes	Thick		Sizes	Thick	
2-0x6-0	13/8"	\$3.38	2-0x6-8	13/8"	\$3.62
2-0x6-6	13/8"	3.56	2-4x6-8	13/8"	3.82
2-4x6-6	13/8"	3.77	2-6x6-8	13/8"	3.92
2-6x6-6	13/8"	3.87	2-8x6-8	13/8"	4.03

All of our Doors are carefully bundled with Heavy Corrugated Board approved by all Transportation Companies and banded with 5% 'Steel Strapping. This insures clean, safe arrival at destination.



MIRACLE TYPE INTERIOR DOORS

Carefully Machine Polished — Beautiful Figured Panels



No. 650—Clear Western Pine with Gum Panel

\$4.56

Our most popular Miracle Type Door. Has Rails of Clear Soft Western Pine and attractive Plain Gum Panel. Yery appropriate for English, Spanish, Colonial or Typical American Homes.

Sizes	Thick		Sizes	Thick	
2-0x6-0	13/8"	\$4.56	2-0x6-8	13/8"	\$4.86
2-0x6-6	13/8"	4.79	2-2x6-8	13/8"	6.93
2-4x6-6	13/8"	5.28	2-4x6-8	13/8"	5.39
2-6x6-6	13/8"	5.53	2-6x6-8	13/8"	5.62
1-6x6-8	1 3/8 ''	4.86	2-8x6-8	13/8"	5.87

\$5.05

No. 654—Clear Western Pine with Birch Panel

AN OLD FAVORITE - THOUGH VERY POPULAR

Sizes	Thick		Sizes	Thick	
2-0x6-6	13/8"	\$5.05	1-8x6-8	13/8"	\$4.97
2-4x6-6	13/8"	5.57	2-0x6-8	13/8"	5.14
2-6x6-6	13/8"	5.85	2-4x6-8	13/8"	5.69
1-4x6-8	13/8"	4.97	2-6x6-8	13/8"	5.92
	, 0		2-8x6-8	1 3/8"	6.20

Miracle Type Doors in Plain Gum, Red Oak and Red Gum Illustrated and Priced on Page 29.





No. 652—Clear Western Pine with Fir Panel

Sizes	Thick		Sizes	Thick	
2-0x6-0	13/8"	\$4.55	2-4x6-8	13/8"	\$5.37
2-0x6-6	13/8"	4.78	2-6x6-8	13/8"	5.60
2-4x6-6	13/8"	5.26	2-8x6-8	13/8"	5.86
2-6x6-6	13/8"	5.52	2-0x6-8	13/4"	6.69
1-4x6-8	13/8"	4,84	2-4x6-8	. 13/4"	7.32
1-8x6-8	13/8''	4.84	2-6x6-8	13/4"	7.64
2-0x6-8	13/8"	4.85	2-8x6-8	1 3/4"	8.04

MIRROR DOORS

First Quality Full 1/4" Plain Plate Mirrors

Prices for Mirror and Moulding

		-
Door Sizes	Shipped Separately No. 690	Installed on Door No. 696
2-0x6-6	\$11.72	\$12.62
2-4x6-6	14.18	15.08
2-6x6-6	16.92	17.82
2-0x6-8	12.01	12.91
2-4x6-8	14.57	13.07
2-6x6-8	17.38	18.28
2-8x6-8	18.79	19.72
		0.5.

To Prices shown above add the cost of the Door you Select.

Moulding is supplied with Mirror No. 690 in Yellow Pine, Birch, Oak, Western Pine or Gum. Please specify which is desired, when ordering.

Sizes not priced can be furnished, send us your list for special quotation.

ATTRACTIVE INTERIOR DOORS

Perfectly Manufactured - Carefully Machine Polished

SIX COLONIAL RAISED PANEL

FIR \$4.05

UP

No. 623-Clear Soft Douglas Fir No. 624-Clear Western Pine

PINE \$4.29



	623	624		624
Sizes	13/8" Thick	13/8" Thick	Sizes	13/4" Thick
2-0x6-0	\$4.05	\$4.38	2-0x6-0	\$5.94
2-0x6-6	4.20	4.56	2-0x6-6	6.21
2-4x6-6	4.45	4.96	2-4x6-6	6.75
2-6x6-6	4.56	5.17	2-6x6-6	7.03
1-4x6-8		4.49	1-6x6-8	6.90
1-6x6-8	4,28	4.29	1-8x6-8	6.90
1-8x6-8		4.61	2-0x6-8	6.31
2-0x6-8	4.28	4.61	2-4x6-8	6.85
2-4x6-8	4.50	5.05	2-6x6-8	7.12
2-6x6-8	4.60	5.25	2-8x6-8	7.46
2-8x6-8	4,71	5.46	3-0x6-8	8.21
3-0x6-8	*******	6.02	2-6x7-0	8.59
2-6x7-0	4.95		2-8x7-0	8.59
2-8x7-0	5.05		3-0x7-0	8.59

HOLLOW FLUSH

\$4.56

No. 646-Soft Douglas Fir No. 648-Clear Birch or Elm (our option)

	646 — Fir	648 — Birch or Elm		
	13/8"	13/8"	13/4"	
Sizes	Thick	Thick	Thick	
2-0x6-0	\$	\$6.32	\$	
2-0x6-6	4,56	6.64		
2-4x6-6	5.33	7.29	8.40	
2-6x6-6	5.72	7.64	8.76	
1-6x6-8	******	6.73		
1-8x6-8	4,21	6.73		
2-0x6-8	4.66	6.73	7.85	
2-2x6-8	******	7.08	8.19	
2-4x6-8	5.48	7.34	8.56	
2-6x6-8	5.86	7.75	8.87	
2-8x6-8	. 6.24	8.10	9,22	
3-0x6-8		8.74	9.86	



Door No. 648 requires an AA-3 Priority Rating

HARDWOOD INTERIOR DOORS



Our Veneered Hardwood Doors are expertly constructed with Cores of thoroughly kiln-dried, glued-up narrow Strips to which ½" Hardwood Face Veneers are applied. Have I" Hardwood Edge Strips. Panels are 3 Ply with 1/16" Hardwood Face Veneer both sides. The Hot Plate Press process is used in Veneer Application. Doors are carefully Machine Polished and Inspected before shipping.

Description

613—Two Flat Panels. All Veneered Plain Gum, 615-Two Flat Panels. All Veneered Red Oak. 653-Miracle Type-All Veneered Plain Gum. 655-Miracle Type-All Veneered Red Oak. 657-Miracle Type-All Veneered Red Gum. For Doors 134" Thick, add \$2.00 per Door.




653-655-657

Sizes	Thick	613	615	653	655	657
2-0x6-0	13/8"	\$6.91	\$9.19	\$	\$9.72	\$8,58
2-0x6-6	13/2"	6.91	9.38	7.04	9.90	9.31
2-4x6-6	13/8"	7.25	9.82	7.37	10.34	9.7-1
2-6x6-6	13/8"	7.49	10.12	7.62	10.65	10.00
1-4x6-8	13/8"	6.94	9.44		9.97	9.36
1-8x6-8	13/8"	6.94	9.44		9.97	9.36
2-0x6-8	13/8"	6.94	9.44	7.09	9.97	9.36
2-4x6-8	13/8"	7.29	9.88	7.42	10.41	9.77
2-6x6-8	1 3/6 ''	7.54	10.19	7.67	10.73	10.05
2-8x6-8	13/8"	7.84	10.56	7.95	11.09	10.41

INTERIOR DOOR FRAMES

Clear Western Pine and Gum Machine Sanded

All Jambs Accurately Machined and Dadoed



Specifications

No.					
780-Jambs	3/4×53/8"	Plain No	Stops.		
781—Jambs	11/8×53/8"	Plain No			
784—Jambs	3/4 x 3 3/8"	with R.E.	Stops No	. 758 3/91	15/a".
785—Jambs	3/4×53/8"	with R.E.	Stops No	. 758 3/81	(15/8".
786—Jambs	11/8×33/8"	with R.E.	Stops No	. 758 3/8	K15/8"
787—Jambs		with R.E.	Stops No	. 758 3/81	K 15/8".
788—Jambs	13/8×33/8"	Rabbeted	for 13/8"		
789—Jambs	13/8×53/8"	Rabbetec	for 13/8"	Door.	

Priced per Frame

No. 780 780 780	Sizes Up To 2-8x6-8 3-0x7-0 5-0x7-0	Western Pine \$1.50 1.60 1.95	Gum \$1.68 1.78 2.00	No. 781 781 781	Sizes Up To 2-8x6-8 3-0x7-0 5-0x7-0	Western Pine \$1.92 2.10 2.40	Gum \$
784	2-8×6-8	1.36	1.56	786	2-8x6-8	1.85	• • •
784	3-0×7-0	1.42	1.65	786	3-0x7-0	1.98	
784	5-0×7-0	1.64	2.13	786	5-0x7-0	2.28	
785	2-8x6-8	1.70	2.17	787	2-8x6-8	2.25	
785	3-0x7-0	1.80	2.28	787	3-0x7-0	2.39	
785	5-0x7-0	2.20	2.55	787	5-0x7-0	2.70	
789	2-8x6-8	2.34	2.58	788	2-8x6-8	1.86	1.99
789	3-0x7-0	2.39	2.74	788	3-0x7-0	2.15	2.15
789	5-0x7-0	2.76	3.00	788	5-0x7-0	2.28	2.36


SMALLER SIZES TAKE PRICE OF NEXT LARGER SIZE.

For Frames wider than 53%", add as follows for every 2 inches in width:—No. 785, \$0.50 per frame—No. 789, \$1.25 per frame.

Door Frames No. 784, 785, 786 and 787 can be furnished with O.G. Stops No. 754, 3/x1/36", at no additional cost when so specified on your order.

SANDED INTERIOR TRIM

Clear Western Pine and Gum
Machine Sanded
All Priced per 100 Lineal Feet



For Specified Lengths - Add 10%

SANDED INTERIOR TRIM

Clear Western Pine and Gum

Machine Sanded


All Priced per 100 Lineal Feet


	The said			(CHILLIAN)	
720	721-723	3-727-728	724	725-732-733-734-738-73	9
<i>11)11111</i>			of TENNO		_
726-729	735		736	737	
			Wes		
No.	Kind	Sizes	Pi		Sun
720	Casing	1/2×31/4	\$3.		4.7
721	Chair Rail	1/2×3			6.5 8.1
723 724	Mullion Casing Casing	1/2×51/2			7,8
725	Mullion Casing	5/8×31/2 5/8×51/2			3.1
726	Casing	5/8×25/8			4.1
728	Mullion Casing	1/2×1 78			2.7
729	Apron	5/8×25/8			4.1
732	Casing	3/4×41/4			
733	Casing	3/4×31/2	4.	.04	
734	Mullion Casing	3/4×51/2	6.	.83	
735	Casing	3/4×31/2	4.	.04	5.0
736	Mullion Casing	3/4×51/2	6.	.83	8.1
737	Apron	3/4×31/2	4.	.04	5.0
738	Mullion Casing	3/8×176		.73	2.3
739	Casing	5/8×25/8	3.	.15	
					_
5777				(4)	3
	(dia)	177	ATT)	mma V	3
4	1 800 6		4	11141	1
			210 251 252 7	72-773 776	
747	750-751	753-754 755	710-756-757 7 758-759	12-113	
			Wes	stern	
No.	Kind	Sizes	Pi		Gu
747	Cove Mould	3/4 x 7/8	\$1	.11 \$	51.
750	Quarter Round	1/2× 1/2		.75	
751	Quarter Round	3/4 x 3/4		.01	1.
753A	O. G. Stop	3/8×11/8		.04	1.
753	O. G. Stop	3/8×1 15		.18	2.
754	O. G. Stop	3/8 x l 7%		.43	2.
755	O. G. Stop	3/8×216		.68	1.
710	R. E. Stop	○ 1/2× 3/4		.80	1.
757A	R. E. Stop	3/8×11/8		.18	2.
757	R. E. Stop	3/8×13/8		.43	2.
758	R. E. Stop	3/8×15/8		2.04	2.
759	R. E. Stop	3/8×21/4		,13	
772 773	Panel Strip	%x13/8 %x13/4		.38	
776	Shelf Cleat	3/4×11/4		.42	
//0	Shelf Clear	74 × 1 7/4		. 7.0	
11110	7777	1211111	Ministell	1 /16	
					8
		7/0	769-730	770	
	1-763-764	768	107-100		
/63-/	166-767		We	stern	
No.	Kind	Sizes	P	ine	GL
760	Stool	3/4×3			\$5.
761	Stool	3/4×4	į	5.54	6
763	Stool (Not Rabt.			5.50	7
764	Stool	11/8×3		5.89	8
765	Stool	11/8×4			10
/03	Stool	3/4×71/2	1		13
766					18
	Stool	11/8×71/2	10	6.88	
766	Stool Apron	11/8×71/2 1/2×31/4		6.88 4.26	
766 767					6

SANDED INTERIOR TRIM IN SETS

Clear Western Pine-Plain Gum

Machine Sanded by special process. You save by buying in Sets. — No Waste.





Description of Sets

Description of Sets

No. 799—Sanitary Mitre Trim. Consists of Side Casing No. 732, ¾x4¼; Head Casing No. 732, ¾x4¼; Stool No. 760, ¾x3; Apron No. 769, ¾x3½, and Window Stop No. 753, ¾x1½.

No. 799A—Sanitary Master Design Mitre Trim. Consists of Side Casing No. 733, ¾x3½; Stool No. 760, ¾x3; Apron No. 769, ¾x3½; and Window Stop No. 753, ¾x1½.

No. 799B—Sanitary Narrow Mitre Trim. Consists of Side Casing No. 739, ½x2½; Head Casing No. 739, ½x2½; Stool No. 760, ¾x3; Apron No. 729, ¾x2½; Apron No. 729, ¾x2½; Stool No. 760, ¾x3; Apron No. 729, ¾x2½; Apron No. 729, ¾x2½; Stool No. 760, ¾x3; Apron No. 729, ¾x2½; Apron No. 730, 1½x5½; Stool No. 760, ¾x3; Apron No. 730, ¼x1½; No. 730, 1½x5½; Stool No. 760, ¾x3; Apron No. 769, ¾x3½, and Window Stop No. 753, ¾x1½;

R.E. Window Stop No. 757, 3/8x13/8, can be furnished at no additional cost when so specified on your order. ABOVE ILLUSTRATED TRIM PRICED ON OPPOSITE PAGE

SANDED INTERIOR TRIM IN SETS

Clear Western Pine - Plain Gum

Machine Sanded by special process. You save by buying in Sets-No Waste.

Priced per Set of Trim

		- No.	792 —	No. 799B	No. 799A
DOOR TRIM		Western		Western	Western
Sizes up to		Pine	Gum	Pine	Pine
2-8x6-8		\$0.62	\$0.83	\$0.62	\$0.81
3-0x7-0		.69	.92	.69	.89
5-0x7-0		.76	1.01	.76	.98
WINDOW TR	IM—SIZES UP T	0			
Glass Sizes	Opening Sizes			20.07	61.12
24x24-2 Lt.	2- 4x4-6	\$0.87	\$1.18	\$0.87	\$1.13
30x30-2 Lt.	2-10x5-6	1.11	1.47	1.11	1.37
40x30-2 Lt.	3- 8x5-6	1.23	1.65	1,23	1.54
		— No.	797 —	No. 799	No. 796
DOOR TRIM		Western		Western	Western
Sizes up to		Pine	Gum	Pine	Pine
2-8x6-8		\$0.80	\$1.09	\$1.22	\$1.38
3-0x7-0		.89	1,12	1.22	1.38
5-0x7-0		.98	1.23	1.34	1.64
WINDOW TE	RIM-SIZES UP T	0			*
Glass Sizes	Opening Sizes				
24x24-2 Lt.	2- 4x4-6	\$1,08	\$1.39	\$1.53	\$1.76
30x30-2 Lt.	2-10x5-6	1.30	1.66	1.69	1,92
					2.18

Above Priced Trim illustrated on Opposite Page

SPECIAL NOTICE

Sash Trim Same Price as Corresponding Window Opening—When ordering please specify whether Sash Swing IN or OUT.

Smaller Sizes take price of next larger size. Larger sizes in proportion.

R. E. Window Stop No. 757, %sx1% can be furnished at no additional cost when so specified on your order.

If Stool No. 764, 11/8 x 31/2, substituted, add to price of any set of Trim as follows:

Western Pine \$0.20 — Gum \$0.31

When Brick Veneered Wall Window Frames or Furred Solid Brick Wall Window Frames require stops and stools, one inch wider than above, so specify after style of trim and add 16% to above window trim prices.

Trim for 13" Brick Wall Window Frames require Stools 4" wider (No. **766**) as well as Extension Jamb No. **731**, ¾x4½. When ordering specify 13" BW after Style of Trim and double the above Window Trim prices.

Mullions, Triples, Quadruples or Quintuples take 2, 3, 4 or 5 times Single Set Prices. Half Circle, Tudor or other Shaped Heads, Five Times the Prices shown above.

We can manufacture Trim, Mouldings and Frames of any size and design in Oak, Red Gum, Birch, Walnut, etc. Please let us have your list and details of your needs.

During the present emergency we are doing our best to fill all orders. If at times we are a little slow or out of stock of certain items, would appreciate if you would bear with us and accept substitute items when the exact item you desire is not available. We will not at any time make a substitution without first securing your permission. Our available stock is changing constantly and items that we do not list can be supplied from time to time and we suggest you send to us an exact list of your requirements and we will be glad to tell you definitely what we can furnish.

DISAPPEARING STAIRWAYS

Our Quality

SPRING BALANCED STAIR

Hand Rail Included with Each Stair



SMOOTH OPERATION — Stair slides through ceiling on rollers attached to ceiling door. Weight is counter-balanced by two long coil springs—sliding action is controlled by a friction brake, which insures smooth operation. Stair cannot slide down accidentally.

Requires smaller ceiling opening permitting the installation in closets and similar places where it will be entirely concealed.

SPECIFICATIONS: Complete stairway includes II/8" ceiling door with Western Pine Stiles and Rails, Birch Panel. Yellow Pine Stringers housed to receive Western Pine Treads and Rigid Handrail is included. Stair is Stained a serviceable brown. Ceiling door not stained as this is usually painted to match ceiling. No jambs or trim included. Complete Hardware including brackets, coil springs, hinges, screws, etc., furnished. All black japanned.

Each Set is shipped K.D. in dust-proof cartons. Complete instructions for installing included with each set.

Distance	Ceiling	Ceiling	Projection	Projection
Floor to Ceiling	Openings	Opening	Into Room	Into Attic
7-4	2-6x4-8	2-4x4-6	5- 0	4-6
7-6	2-6x4-8	2-4x4-6	5- 3	5-3
8-6	2-6x4-8	2-4x4-6	5-10	5-9 6-6 6-6
	Floor to Ceiling 7-4 7-6 8-0	Distance Ceiling Openings Floor to Ceiling Openings 7-4 7-6 8-0 2-6x4-8 8-0 2-6x4-8 8-6 2-6x4-8	Distance Ceiling Ceiling Opening Opening 7-4 2-6x4-8 2-4x4-6 7-6 2-6x4-8 2-4x4-6 8-0 2-6x4-8 2-4x4-6 8-6 2-6x4-8 2-4x4-6	Distance Ceiling Ceiling Projection Floor to Ceiling Openings Opening Into Room 7-4 2-6x4-8 2-4x4-6 5- 0 7-6 2-6x4-8 2-4x4-6 5- 3 8-0 2-6x4-8 2-4x4-6 5- 7 8-6 2-6x4-8 2-4x4-6 5- 7

Priced Complete as Listed—ALL SIZES.....

\$30.70

TELEPHONE CABINETS RECESS TYPE



981



982



984

No. 981. Newly designed for use with the new cradle-type Telephone (with bell box in phone base) as shown in illustration. Note Shelf for telephone directory. Requires Wall Opening I-I wide and 3" deep. No Finish Hardware required.

No. 982. An artistically planned Cabinet. Comes set up and carton packed. All necessary scribing Moulds supplied. Requires Wall Opening I-I wide and 3" deep. Cabinet is I-I high. Scrolled Panel conceals Bell Box. No Finish Hardware required.

No. 984. A new design well proportioned. Comes set up complete with hardware. Requires Wall Opening 1-2 wide, 2-10 high and 3\%" deep,—overall size 1-51/2x3-1. Removable Panel conceals Bell Box. Carton Packed.

 No. 981
 No. 982
 No. 984

 Western Pine
 \$1,28
 \$3.08
 \$3.75

 Gum
 1.55
 ...
 ...

QUALITY STANDARD STAIRWORK

Yellow Pine, Red Oak, Western Pine, Birch and Red Gum

Carefully Manufactured, Sanded and Packed in Dust-proof Cartons, ready for Immediate Shipment.



Priced Each Except Where Otherwise Show	n Yellow	*Red Oak Birch or
No.	Pine	Red Gum
1842-Quarter Circle End Starting Step 11/6x111/4" Nosed Tread and Rise	r	
3/4x65/8" or 73/4" rise overall (right or left hand)for 3-0 Stair		\$4.90
for 3-6 Stair		5.15
for 4-0 Stair	. 4.51	6.26
1843-Half Circle End Starting Step 175x111/4" Nosed Tread and Rise	r	
3/x65%" or 73/4" rise overall (right or left hand)for 3-0 Stair.		6.66
for 3-6 Stair.		6.66
for 4-0 Stair		7.25
		4.75
800—Starting Newel—Base 8x8x18", Shaft 6x6, Overall 48"	4.03	5.24
801—Starting Newel—Base 8x8x23", Shaft 6x6, Overall 54"	4.51	5.71
802—Starting Newel—Base 8x8x20", Shaft 6x6, Overall 531/2"	4.51	4.35
803—Starting Newel—Base 8x8x18", Shaft 6x6, Overall 48"		4.83
804—Starting Newel—Base 8x8x23", Shaft 6x6, Overall 54"		3.43
805—Landing Newel—Shaft 4x4, Overall 66"		3.43
806—Landing Newel—Shaft 5x5, Overall 66"	2.98	.20
807—Stair Balusters, Square 1,5 x1,5 x28'', 32'' or 36''	13	
809—Stair Balusters, Square Turned Center 1,5x1,5x28" or 32"	23	.32
810—Stair Balusters, Square Turned Center 13/4x13/4x28" or 32"	28	.41
812—Wall Rail 3/4x 3/4"per for	t .11	.16
813—Main Stair Rail 23/8x3" Ploughed for I 156" Balusterper for	.25	.32
814—Main Stair Rail 23/8x3" Ploughed for 13/4" Balusterper for		.32
816—Rail Fillet or Shoe Fillet 15x3/8" for 15 Balusterper for	ot .04	.05
817—Rail Fillet or Shoe Fillet 13/4x3%" for 13/4" Balusterper for		.06
818—Stair Shoe 21/2x3/4 Ploughed for 175" Balusterper for	of .06	.08
819—Stair Shoe 21/2x34" Ploughed for 134" Balusterper for	of .06	.08
820—Nosed Treads 118" thick, 101/2" or 111/4" wide 3-0	90	1.24
3-6		1.36
4-0		1.53
821—Stair Risers 3/4x71/2" 3-0		.55
3-6		.64
4-0		.70
823—Landing Nosing It x31/2" 3-0 or 3-6		.43
4-0		
824—Return Tread Nosing 1 + x1 1/2" 18"	07	.10
825—Stair Cove 5/8×1311 per 100 lineal fe	et 1.13	1.61
826-Wall Strings or Face Strings 3/4x 91/2"per fo	ot .16	.19
827—Wall Strings or Face Strings 3/4x111/2"per fo		.20
828—Wall Strings or Face Strings 1 to 91/2"per fo	ot .19	
829—Wall Strings or Face Strings ITGXIII/2"per fo	of .22	
Extra for Housing Wall Strings each Side per Tread and Riser		\$0.49
tFor Double End Starting Step and Riser take price of Design Nos. add \$5.75.	842 0	r 843 and
	D 1	0-4

*Above Stairwork available in Western Pine at same prices as Red Oak.

MAIL US YOUR PLANS OR SKETCH FOR A COMPLETE ESTIMATE OF YOUR STAIRWORK REQUIREMENTS

DISTINCTIVE COLONIAL STAIRWORK

Yellow Pine, Red Oak, Western Pine, Birch and Red Gum

Properly manufactured by experts. Necessary Rail Bolts included for all Stair Fittings, Paper Template showing location of Newel and Balusters included with each Volute and Turnout. Stair Parts carried in stock, packed in Dust-proof Cartons. NOTE: Please order by Number and indicate when necessary whether stair fitting is on Your Right or Left Hand (as you go up the Stair). All illustrations on these pages show RIGHT HAND Stair Fittings.



†For Double End Starting Step and Riser take price of Design Nos. 847 or 848 and add \$5.20.

*Colonial Stairwork available in Western Pine at same prices as Red Oak.

PRACTICAL INSTALLATIONS

Neat - Easy to Erect - Strictly Colonial



A

850 Newel

871 Starting Easing 870 Rail

862 Baluster

ing Easing 870 Rail 861 Baluster 847 Starting Step

851 Newel 872 Turnout Start-



854 Volute Newel 873 Volute with 870 Rail 862 Baluster 848 Starting Step

D

899 Gooseneck with Half Turn on Level 870 Rail 864 Baluster

DISTINCTIVE COLONIAL STAIRWORK

Yellow Pine, Red Oak, Western Pine, Birch and Red Gum

Properly manufactured by experts. Necessary Rail Bolts included for all Stair Fittings. Stair Parts cerried in stock, packed in Dust-proof Cartons. NOTE: Please order by Number and indicate when necessary whether stair fitting is on your Right or Left Hand (as you go up the Stair). All illustrations on these pages show RIGHT HAND Stair Fittings.

Priced Each Except Where Otherwise Shown

8	1	6	6	1		
870	871	872	873	875		876 Bad Oak
871—Starting 872—Turnout S 873—Volute w	Easing with Notarting Easing ith Up Easing	Specified or Rai lewel Cap g with Newel Cap (right or left)	(right or left)	Yellow Pine \$0.24 3.28 4.37 6.77 2.75 3.15	Red Oak Birch or Red Gum \$0.32 4.16 5.51 8.52 3.49 3.72
					8	
877	878	879	882	883	884	885
878—Level Qu 879—Newel Q 882—Newel Q 883—Newel Q 884—Turned	arter Turn ap with 2 Rai ap with 2 Stra ap with 1 Stra Newel Cap	l Connections on aight Rail Connec aight Rail Connec	level Quarter tions on level tion on level	Turn	\$2.75 1.99 2.36 1.67 1.20 .65 .40	\$3.41 2.41 3.07 2.15 1.43 .88 .44
887-888	889-890	892	895-	896 897-89		899
887—Goosene	ck for I riser	with Newel Cap.			\$4.16	\$4.89 6.04
889—Goosen	ack for 1 rise	rs with Newel Car r, no newel requi rs, no newel requi	red		4.81 3.28 3.95	4.16 5.03
892—Goosen	eck with New	rel Cap and Up	Easing for 2	users (ngm	7.23	8.75
		Easing for 2 risers			7.23	8.75
895—Goosen	eck with Nev	vel Cap and Qu	arter Turn on	level, for I	6.04	7.40
896—Goosen	eck with Nev	vel Cap and Qu	arrer turn on	1evel, 101 2	0.72	8.17
897—Goosen	eck with Qua	rter Turn on leve	I, for I riser,	no newer re-	6.04	7.40
898—Goosen quired	eck with Qua (right or left	rter Turn on level f Turn on level,	, for Z risers,	no newer re-	6.72	8.17
899—Goosen center	of rail, no ne	wel required (righ	it or lett)		7.44	8.97
	COMI	TETE COLO	TO IDING	AIRWAY		

COMPLETE COLONIAL STAIRWAY

A definite Example of your cost using Starting Members as shown by Illustration "B". We list below the Itemized and Total Cost of the various parts required for a Typical Colonial Stairway 3-0 wide of 14 Risers from First to Second Floor. Nothing included for Second Floor.

ioi secona ricon				Red Oa	k, Birch
		Yellow	v Pine	or Rec	Gum
	Part	Unit	Total	Unit	Total
Description	No.	Price	Price	Price	Price
		\$	5 2.63	\$	\$ 3.28
Starting Newel	072		4.37	********	5.51
I Turnout Starting Easing	0/2	.22	2.64	.27	3.24
12 Balusters 31"		.24	2.88	.28	3.36
12 Balusters 34"	861	.25	.50	.29	.58
2 Balusters 36"	001	.24	3.84	.32	5.12
I Pc. Main Rail (16 ft.)	8/0		6.68	*******	7.79
I Bull Nose Starting Step	020	.90	10.80	1.24	14.88
12 Nosed Treads	620	.07	.84	.10	1.20
12 Return Nosings 18"	824		.36		.43
I Landing Tread Nosing	823	.30	3.90	.55	7.15
13 Risers	821	1,13	.59	1,61	.84
13 Pcs. Stair Cove (52 ft.)	025	.17	2.72	.20	3,20
I Pc. Wall String (16 ft.)	827	.17	2.72	.20	3.20
I Pc. Face String (16 ft.)	827	.17	4.74		
TOTAL CO	ST	Yellow Pir	ne \$45.47	Hardwood	d \$59.78

Extra for Housing Wall String each Side, per Tread and Riser.... ALWAYS ORDER BY OUR CATALOG NUMBERS

......\$0.49

MODERN NOOK OR RESTAURANT SET

Clear Western Pine



Set No. 950

Specifications

This Set is very sturdily built, all parts accurately machined of Clear Western Pine. The unusually low price of this attractive Set made possible through large quantity production. All angle irons, screws, table braces, etc., are included. Shipped semi-assembled and packed in dust-proof cartons.

Set No. 950 requires a floor space 64" wide x 54" deep. Table is 26" wide x 48" deep x 30" high. Two Seats furnished, each is 18" deep x 54" long x 36" high. The exposed Seat Ends and Table Ends are ornamented with a shallow, decorative groove. This groove easily painted with some contrasting color will insure a most attractive ensemble.



940 Recess Type


IRONING BOARD

RECESS TYPE No. 940

Can be easily installed in a new or old house. Requires a rough wall opening 14" wide, 82" high and 3\%" deep. Main Ironing Board is 111/2" wide and 52" long. Sleeve Board 5" wide and 29" long. Built of Clear Western Pine with Fir Panelled Door and Back.

Shipped complete in one carton\$	5.78
Casing for above, add	.55
Hardware, add	.45

HANDSOME MASSIVE MANTEL SHELF



996

This shelf is appropriate for the new home of today. Furnished with 60" and 72" Shelf complete with plaster moulds of either Yellow Pine, Western Pine, Red Oak or Red Gum. Carefully packed for shipment.

No. 996 Priced Each	Pine	Western Pine	Red Oak	Red Gum
60'' Overall	\$7.80 9.50	\$ 9.50 10.80	\$10.00	\$ 9.60
If Returns are required to tal	e care of	chimney projection	add \$2 00	

BEAUTIFUL COLONIAL MANTELS

Two Mantels appropriately designed for homes of Colonial or Early American influence.





770

994

No. 990—Shelf 71/4" wide, 72" long, Wood Opening 48" wide x 36/2" high. Height overall 51". Projection of Shelf is sufficient to allow for a return up to 3". Shipped semi-assembled and carton packed.


No. 994—Shelf 71/4'' wide, 78'' long. Wood Opening 50" wide x 361/2'' high. Height overall 533%". Shipped semi-assembled and carton packed.

No. 990 Western Pine No. 990 Gum No. 994 Western Pine

\$9.95

\$12.25

\$14.20



ENGLISH MANTEL

Will add that necessary touch to your English Home. Low priced and easy to install. Will fit any brick opening as head member is furnished 7-0 long and side members 4-0 long. Not mitered. Size of members 1¾" x 5½".

No. 998
Western Pine Gum Oak
\$7.50 \$8.00 \$8.75

998

UTILITY LINEN CASES



A well designed cabinet made of Clear Western Pine that would be useful in any modern home.

Usually installed in a wall recess. Furnished in two widths 2'-6" and 3'-0". Height 6'-10" overall which lines with 6'-8" Doors when trimmed. Depth 19". Requires a rough opening 2'-61/2" or 3'-01/2" wide x 6'-101/2" high x 191/4" deep.

Front is 11/8" thick put together. Drawers completely machined ready to assemble. Skeleton Ends with Drawer Slides nailed up. Shelves and Shelf Cleats loose. No Ends, Back, Hardware or Room Trim included. Cabinet packed in a dust-proof carton.

932-933

CORNER CHINA CASES



A Beautiful Corner Cabinet in genuine authentic design can be built into a new or old home and adds charm and distinction which no other piece of furniture can approach.

A partition divides top and bottom sections; upper section has three shelves; lower section one shelf. Carried in stock in two woods, Clear Western Pine or Gum, Glazed with Clear Glass. Requires an opening 2 ft. 10 in. wide by 6 ft. 11 in. high by 1 ft. 3½ in. deep. This China Case needs no back, but if desired, add as shown below. Shipped semi-assembled. No Hardware.

No. 965 Priced Each

	Each .	Back Extra
Western Pine	\$21.66	\$2.50
Gum	27.04	2,50

A new Attractive low-priced Open Top Corner China Case which can be set up in new and old Homes and Apartments. Adds charm and supplies desirable storage space.

Manufactured of Clear Western Pine. Overall size 2'-5" wide x 5'-11" high x 1'-234" deep.

Shipped semi-assembled with back included. Carton 812-65



967



964

A Splendid and Convenient Corner China Case of Early American design that will add beauty to a new or old home.

A partition divides top and bottom sections; upper section has two shelves; lower section one shelf. Manufactured of Clear Western Pine, Glazed with Clear Glass. Requires an opening of 2 ft. 9 in. wide by 6 ft. 71/2 in. high by 1 ft. 2 in. deep. No Hardware included.

No Back Required—Completely Machined Ready to Assemble — Carton Packed —

Priced each

\$16.75

CORNER HANGING CHINA CASE

Useful as well as decorative. Made to hang in corner directly over plaster. Will improve the appearance of any dining room or breakfast nook.

Size overall 2'-11/2" wide x 5'-0" high. Bracket 1'-4" high. Depth inside 1'-45/4". Comes complete as shown, with back. Glazed with Clear Glass. Semi-assembled. Packed in a dust-proof carton.

No. 969 Priced Each

 Western Pine
 \$14.00

 Extra for Hardware
 .68



767

WINDOW GLASS

Flat Drawn — Machine Made — Factory Labeled Lights per Box — Price per Box — No Boxes Broken

Size Lts.	S.S.A.	S.S.B.	Size	Lts.	S.S.A.	S.S.B.	D.S.A.	D.S.B.	Size	Lts.	S.S.A.	S.S.B.	D.S.A.	D.S.B.
8x10 90	\$3.94	\$3.47	16x16	28	\$4.10	\$3.62	\$5.93	\$5.15	24x52	6	\$6.30	\$5.09	\$8.66	\$7.25
12 75	3.94	3.47	18	25	4.10	3.62	5.93	5.15	60	5	6.72	5.51	8.82	7.40
13 69	3.94	3.47	20	23	4.36	3.78	6.46	5.46	26x26	IĬ	4.67	3.99	7.19	6.14
14 64	3.94	3.47	24	19	4.36	3.78	6.46	5.46	28	10	4.67	3.99	7.19	6.14
16 56	3.94	3.47	26	17	4.57	3.94	6.98	6.04	30	9	4.99	4.15	7,40	6.25
9x12 67	3.94	3.47	28	16	4.57	3.94	6.98	6.04	32	9	4.99	4.15	7.40	6.25
13 62	3.94	3.47	30	15	4.57	3.94	6.98	6.04	36	8	5.51	4.52	7.88	6.62
14 57	3.94	3.47	36		4.67	3.99	7.19	6.14	42	7	5,51	4.52	7.88	6.62
16 50	3.94	3.47	18x18	22	4.36	3.78	6.46	5.46	50	6	6.30	5.09	8.66	7.25
10x12 60	3.94	3,47	20		4.36	3.78	6.46	5.46	28x28	9	4.99	4.15	7.40	6.25
14 51	3.94	3.47	24		4.57	3.94	6.98	6.04	30	9	4.99	4.15	7.40	6.25
16 45	4.10	3.62	26		4.57	3.94	6.98	6.04	32	8	4.99	4.15	7.40	6.25
18 40		3.62	28		4.57	3.94	6.98	6.04	34	8	5.51	4.52	7.88	6.62
20 36		3.62	30		4.57	3.94	6.98	6.04	36		5.51	4.52	7.88	6.62
24 30		3.62	32		4.57	3.94	6.98	6.04	38	7		4.52	7.88	6.62
26 28	4.36	3.78	36	11	4.67	3.99	7.19	6.14	40	6		4.52	7.88	6.62
28 26		3.78	20x20	18	4.36	3.78	6.46	5.46	42		5.51	4.52	7.88	6.62
12x12 50	3.94	3.47	24	1 15	4.57	3.94	6.98	6.04	46			5.09	8.66	7.25
14 43		3.62	26	14	4.57	3.94	6.98	6.04	52			5.09	8.66	7.25
16 38		3.62	28	13	4.57	3.94	6.98	6.04	30x30			4.15	7.40	6.25
18 33		3.62	30	1 12	4.57	3.94	6.98	6.04	32			4.52	7.88	6.62
20 30		3,62	32	11	4.67	3.99	7.19	6.14	36			4.52	7.88	6.62
24 25	4.36	3.78	36	10		4.15	7.40	6.25	40			4.52	7.88	6.62
26 23	4.36	3.78	40) 9		4.15	7.40	6.25	50		6.30	5.09	8.66	7.25
28 2		3.78	48			4.52	7.88	6.62	52			5.51	8.82	7.40
30 20	4.57	3.94	22x24			3.94	6.98	6.04	32x34			4.52	7.88	6.62
32 19		3.94	26			3.94	6.98	6.04	36			4.52	7.88	6.62
14x14 37		3.62	28			3.94	6.98	6.04	40			5.09	8.66	7.25
16 33			30			3.99	7.19	6.14	48			5.09	8.66	7.25 7.40
18 2			32			3.99	7.19	6.14	50			5.51	8.82	7.40
20 2			24x24			3.94	6.98	6.04	34x38			5.09	8.66	7.25
24 2			26			3.94	6.98	6.04	46			5.09		7.25
26 20			28			3.99	7.19	6.14	36x36			5.09	8.66	7.25
28			30			3.99	7.19	6.14	44			5.09	8.82	7.40
30 1			32			4.15	7.40	6.25	48			5.51	8.66	7.25
15x20 2			34			4.15	7.40	6.25	38x42				8.66	7.25
24 20			3			4.15	7.40	6.25	40x40		1		8.82	7.40
26 1						4.52		6.62	44		4	******	9,35	7.98
28	7 . 4.57	7 3.94	4	6	7 5.51	4.52	7.88	6.62	50	,	1		7.33	7.70

We can furnish from stock all types of Obscure and Wire Glass; Plain Plate, Bevel Plate and Leaded Glass. Write for Prices.

QUALITY GLAZING PUTTY

This Putty packed in the following size containers and is priced per container.

WOOD SASH PUTTY				S	TEEL SA	SH PUTTY	,
121/2 lbs.	25 lbs.	50 lbs.	100 lbs.	12½ 1bs.	25 lbs.	50 lbs.	100 lbs.
\$0.75	\$1.40	\$2.70	\$5.25	\$0.90	\$1.90	\$3.75	\$6.00

GLASS BLOCKS

New - Four Designs - Admits Light - Retards Heat Priority Rating AA-3 or Better Required.









All Designs same price, when ordering be sure to state Design Number required.

By flooding interiors with diffused light, combined with colored lighting. Glass Blocks actually become a part of the interior decorative scheme. They are attractive in themselves, creating a design similar to Leaded Panes and admit a generous amount of daylight permitting arrangement, color and contrast to accomplish their utmost in Beautiful Interior Effects.

These Blocks are laid up like ordinary brick work and their proven usefulness and un-usual, unique beauty has created a large demand for the product.

PRICED PER BLOCK

5¾''x5¾'' 7¾''x7¾'' 11¾''x11¾'' \$0.72 \$1.95 \$0.36 Straight Blocks .72 1.43 Corner Blocks..

For Corner Blocks to be used with 1134"x1134" Straight Blocks use Two 534"x534" Corner Blocks.

FINISHED MODEL ART WOOD CABINETS

Completely Assembled - Ready to Set in Place Finished Lustrous White or Attractive Cream

Standard Units So Flexible and Complete That They Will Fit Any Kitchen Arrangement



This system of interchange-able units can be adapted to any size or shape Kitchen to the large variety of widths, heights and types.

Finished

The Units are furnished.
Completely Finished in
"Lustrous White" or
"Attractive Cream"
Enamel. We can also furnish Off-White or Light
Cream at no additional
cost, when so specified.
Each Unit is given Three
Coats, the Top Enamel
and is especially resistant
d Unpainted.

to abrasion wear and retains its color. Can also be furnished Unpainted.

Installation of Units


This is a very easy matter as the Units come completely set up, with all Hardware applied. Units should be screwed to the wall to give you a tight and substantial finished arrangement. "Ceiling Height" Installations can be easily made by a combination of two Wall Cabinets with joint concealed with our neat Joint Mould No. 7475.

Specifications

Construction is extra heavy and trouble proof. Wall Cabinet Ends are 5 Ply Veneer so that warping, checking and splitting is impossible. Shelves of all Wall Cabinets are tenoned into the ends. There is a Mullion Bar between all doors so that both Wall and Base Cabinets are perfectly rigid and cannot be sprung due to an uneven wall. Drawers have center Guides with a Tilt Guide so the Drawers do not drop when extended from the Unit. All Doors are 5 Ply Flush type and Front Frames are dowelled and glued together. Bottom Units have Toe Space which enables you to stand up close to the Cabinet without kicking or scuffing the bottom of the Cabinet. Wall Cabinets 18" high have one Shelf and Wall Cabinets 30" high have two Shelves.

DELUXE FEATURES

HARDWARE





Hinge

DRAWERS

Drawers are all Hardwood with bottoms of Three Ply Panels, Dovetailed Construction used throughout which insures that the drawers will stand up under hard usage. Top Drawers of all Base Units are partitioned for Cutlery.



Pull

METAL PASTRY OR FLOUR DRAWER

Is standard equipment and furnished in all Base Units containing Double Height Drawers without extra cost. Ideal for Bread or Pastries or for storing flour.




FLOUR BIN AND SIFTER

For use in Top Sections and can be furnished as an extra, holds 24 lbs. in the Cabinet and is entirely concealed by the door when not in use. When wanted be sure to mark plainly the Upper Unit in which this Flour Bin and Sifter is to be installed.



SINK FRONTS

Deluxe Sink Fronts have Tilting Soap and Brush Container and two side Doors each containing Sliding Towel Racks. Sizes up to 33" wide inclusive have two Towel Racks and sizes 36" and wider have four Towel Racks. Also has large Center Storage Compartment and ompartment and Grille for Ventilation.




Standard Sink Fronts have a large storage space and Grille for Ventilation.

See Pages No. 43 and 44 for illustrations and prices of Model Art Cabinets

FINISHED MODEL ART WOOD CABINETS

Completely Assembled — Ready to Set in Place Finished Lustrous White or Attractive Cream



BASE UNITS

341/2" High, 23" Deep (36" High and 24" Deep including Top)

No.	Width	Price Finished	Price Unpainted	Add For Linoleum Top	N	0.	Width	Price Finished	Price Unpainted	Add For Linoleum Top
7501	15"	\$13.59	\$12.23	\$5.45	75	513	27"	\$19.43	\$17.49	\$8.02
7502	18"	13.59	12.23	5.45	75	516	30''	16.84	15.15	8.02
7504	24"	15.31	13.78	6.73	75	18	30"	19.43	17.49	8.02
7508	18"	13.96	12.56	5.45	75	524	36"	22.53	20.27	9.33
7509	21''	16.84	15.15	6.73	75	526	40"	24.68	22.21	10.60
7512	24''	17.68	15.91	6.73	75	528	42"	26.04	23.44	10.60

Base Units No. 7524, 7526 and 7528 have both Metal Pastry Bin and Metal Flour Bin. All other Base Units with the Double Height Square Drawer have the Metal Pastry Bin. Top Drawer of Base Units is partitioned for Cutlery.

Note—When ordering Single Door Units be sure to specify whether hinges are to be on the left side as illustrated or on the right side.

WALL UNITS - 13" Deep

18" High	30" High	30" High
Price Fin- Price Width No. ished Unpainted	Price Fin- Price Width No. ished Unpainted	Price Fin- Price Width No. ished Unpainted
24" 7304 \$10.73 \$ 9.65	15" 7336 \$10.61 \$ 9.55	30" 7341 \$15.16 \$13.65
30" 7306 12.24 11.01	18" 7337 10.61 9.55	36" 7343 16.73 15.05
33" 7307 14.46 13.02	21" 7338 11.74 10.56	40" 7344 17.68 15.92 42" 7345 18.52 16.67
36" 7308 13.78 12.40	24" 7339 12.24 11.02	Corner 7383 18.55 16.70
40" 7309 14.55 13.10	27" 7340 15.60 14.04	Colliel 7303 10.33 10.70

Flour Bin and Sifter, 24 lb. capacity, can be supplied for any Wall Unit-Add \$3.11.

FINISHED MODEL ART WOOD CABINETS

Completely Assembled — Ready to Set in Place Finished Lustrous White or Attractive Cream

SINK FRONTS - 341/2" High

STAND	DARD -			DELI	UXE	
Width	Price Finished	Price Unpainted	No.	Width	Price Finished	Price Unpainted
18" up to 24"	\$ 6.74	\$ 6.06	7560	18" up to 24"	\$12.07	\$10.85
25" up to 30"	7.81	7.03	7561	25" up to 30"	13.15	11.84
31" up to 36"	9.08	8.17	7562	31" up to 36"	16.80	15.13
37" up to 42"	11.27	10.14	7563	37" up to 42"	18.08	16.26
43" up to 48"	12.07	10.85				
49" up to 54"	13.85	12.46				
	Width 18" up to 24" 25" up to 30" 31" up to 36" 37" up to 42" 43" up to 48"	Width Price Finished \$ 6.74 \$ 5.74 \$ 18" up to 24" \$ 6.78 \$ 11.27 \$ 12.07	Width Finished Unpainted 18" up to 24" \$ 6.74 \$ 6.06 25" up to 30" 7.81 7.03 31" up to 36" 9.08 8.17 37" up to 42" 11.27 10.14 43" up to 48" 12.07 10.85	Width Price Finished Unpainted Unpai	Width Price Finished Price Unpainted No. Width 18" up to 24" \$ 6.74 \$ 6.06 7560 18" up to 24" 25" up to 30" 7.81 7.03 7561 25" up to 30" 31" up to 36" 9.08 8.17 7562 31" up to 36" 37" up to 42" 11.27 10.14 7563 37" up to 42" 43" up to 48" 12.07 10.85	Width Price Finished Price Unpainted No. Width Price Finished 18" up to 24" \$ 6.74 \$ 6.06 7560 18" up to 24" \$ 12.07 25" up to 30" 7.81 7.03 7561 25" up to 30" 13.15 31" up to 36" 9.08 8.17 7562 31" up to 36" 16.80 37" up to 42" 11.27 10.14 7563 37" up to 42" 18.08 43" up to 48" 12.07 10.85 10.85 10.85 10.85

DISH AND BROOM UNITS

No.	Description	Size	Price Finished	Price Unpainted
7423	Broom Unit	15" Wide 84" High 13" Deep	\$20.78	\$18.70
7424*	Broom Unit	18" Wide 84" High 23" Deep	27.67	24.90
7428*	Dish Unit	18" Wide 84" High 23" Deep	29.55	26.60
7440	Dish Unit	24" Wide 84" High 23" Deep	45.93	41.34

*These Dish Units and Broom Units can be furnished 13" deep. If wanted deduct \$5.00.

No.	MISCELLANEOUS ITEMS Description	Price Finished	Price Unpainted
7460	Individual Corner Shelfeac	h \$0.60	\$0.54
7464	Open Corner Unit 30" Higheac	h 5.64	5.08
7470	Valance Board 6" wideper Lineal Foo	t .48	.43
7471	Valance Board 6" wideper Lineal Foo	+ .48	.43
7472	Crown Mould 3/4x11/4per Lineal Foo	t .08	.07
7473	Inside Filler Strip, 1, 2 or 3 Inches wideper Lineal Foo	t .23	.20
7474	End Filler Strip, 1, 2 or 3 inches wideper Lineal Foo	t .15	.14
7475	Joint Mould 18 x 3/4 per Lineal Foo	t .05	.04
7476	Scribe Mould 75x11/2per Lineal Foo	t .05	.04
7498	Bread or Pastry Boardeac	h	.95

Note—When ordering Single Door Units be sure to specify whether hinges are to be on the left side as illustrated or on the right side.

LINOLEUM CABINET AND SINK TOPS

Custom Built to Fit Your Exact Requirement



To give the kitchen that final touch, be sure to use one of our CONTINUOUS CABINET OR SINK TOPS. Nothing could be more attractive than a Modern Kitchen built up with our completely Assembled and Finished *Model Art* Wood Cabinets and as a final touch, use one of these modern, efficient CONTINUOUS TOPS. When ordering be sure to furnish a plan showing the layout of your kitchen with all exact dimensions.

Constructed of 1/8" Battleship Armstrong Linoleum cemented to 11/4" 10 Ply wood base completely water-proofed. Edges banded with Moulding installed with concealed fasteners with top face carefully mitred and smoothly soldered at the corners. Great care is taken to make all points, where metal comes in contact with wood or linoleum and all joints, positively water-tight. Underside of top is finished with an application of water-proof lacquer. Entire Construction positively guaranteed WATER-PROOF and WATER-TIGHT. Tops furnished in BLACK, BLACK MARBELLE, BLUE MARBELLE or RED MARBELLE, your option. Be sure to state which color you wish when ordering.

Priced per Cabinet Top or Sink Top

	Friced per Car	met	rop or	Sink	Tob		
Catalo No.	Description		Sizes Up 25x60				Add for Each 6"
7900	Top without Sink Bowl and with-						
	out Splashers						\$1.75
7903	Top without Sink Bowl, with 4", 6" or 8" Back Splash	18.84	23.00	27.11	31.24	35.43	2.15
7906	Top with Single 20"x18" China Sink Bowl and with 4", 6" or 8" Back Splash		45.17	52.11	55.93	58.94	3.40
7923	Top with Double 32''x18'' China Sink Bowl with 4'', 6'' or 8'' Back Splash		57.62	44 54	68.38	71.39	3.40
If Die	the country of the co						

If Back Splash is returned on Ends of Top, add \$3.93 per end and specify which end. For "L" shaped Tops take the total wall measurements of both walls where the top will fit and add \$2.24. For "U" shaped Tops take the total wall measurements of the three walls where the top will fit and add \$5.12.

DISTINCTIVE BUILDERS HARDWARE

Dull Brass Finish D.B. — Nickel Plated Finish N.P.

Acceptance and shipment of orders for Hardware, subject to stock on hand.



Door Co., Cincinnati, Ohio

STEEL DELUXE BATHROOM CABINETS

Quality All Metal Insert Cabinets - Baked Enamel

These Cabinets are finished in two coats of first-quality Baked Enamel applied over a rust-resisting under coat. Hinges are piano type finished to match the Cabinets and concealed behind the door. Mirrors are COPPER PROTECTED and guaranteed for five years against silver spoilage.

In stock for quick shipment

No. 1320—White Enameled Steel Frame Cabinet—Quality
Mirror—Two Bulb Edge Glass Shelves—Two Tooth
Brush Holders — Razor Blade Drop — Mirror Size
16"x24"—Wall Opening 14"x20"x3½".
Each




1321

No. 1322—Frameless All-Mirror Curved
Top Cabinet with Etching. Quality Mirror—
Two Bulb Edge Glass Shelves—Two Tooth Brush
Holders—Razor Blade Drop—Mirror Size 16''x24''
—Wall Opening 14''x20''x31/2''.
Each



1322



No. 1323—Frameless Square

Top All Mirror

Cabinet with

Etching. Selected Plate Glass Mirror—Two

Bulb Edge Glass Shelves—Two Tooth Brush

Holders—Razor Blade Drop—Mirror Size

16"x22"—Wall Opening 14"x20"x31/2".

Each.

1323



1324

INSULATED BRIC-SIDING

For Old or New Homes - Never Requires Painting




Insulated Bric Siding has a backing of 1/2" Insulating Board shiplapped on all four edges and covered with a special waterproof asphalt. The exterior surface is then covered with a special Asphalt Coating Compound into which crushed brick is firmly embedded. It is permanent in color. Colors are fast—unaffected by sun, rain, ice or snow.

Real Brick appearance at a fraction of its cost is one of the big features of this Siding and the fact that it never requires painting and reduces your fuel cost due to its insulating value means that it will pay for itself within a very short time.

Ideal for Modernizing old buildings at low expense as it can be solidly nailed right over the old siding or shingles.





EASY TO HANDLE

Insulated Bric Siding is furnished in small panels which are very easily handled. It can be cut with a hand saw and its shiplapped edges form an absolutely air-tight surface. We suggest using Caulking Compound around Door and Window Frames to prevent any possibility of air leakage.

Comes in four colors: RED, BUFF, TAPESTRY and RED BLEND, all with Black Mortar Lines. When ordering, be sure to state which color you prefer.

> Per 68 Square

No.	Kind	Size	Per Square	Carton	Per Carton
1492	Siding Panel	43 7/8"x 143/8"	2	12	\$5.34
1493	Combination Panel	43 1/8"x 143/8"	2	12	5.34
1495	Corner Trim	331/2"x4"x4"	-	7	4.27
1496	Straight Trim	33 1/8"x 41/4"	_	19	6.52



BATHROOM CABINETS

QUALITY - NEW - DISTINCTIVE

The cabinet body of these models is made of dried hardwood, with joints double locked, glued and tenoned; door-back of moisture-proof composition board; mirrors of double-strength quality; finish, three coats baked-on, white enamel. A feature of the cabinet especially emphasized, is the neat mirror frame of steel (by permission of WPB), finished to match the cabinet. Equipment consists of two glass shelves; bar-type door stop; stainless steel door strike and bullet door catch.



1342

No.	Mirror Size	Wall Opening	Overall	Price Each
1341	131/4"x197/8"	3/8 "x 6 /2 "x 3 /2 "	131/2"x20"	\$ 5.59
1342	131/4"x197/8"	113/8"x221/2"x31/2"	131/2"'x251/4"	6.04

CONSOLIDATED SASH and ETURN POSTAGE GUARANTEED CINCINNATI IT. OHIO DOOR CO.

FRONT ENTRANCES COLONIAL



For Door Sizes or 3-0x7-0 3-0x6-8

Either Design

\$13.75

in stock for quick shipment. All Outside Ornamental Work as illustrated. Carried Other design Colonial Front Includes 51/4" Western Pine Jambs, 71/4" Oak Sill and quirements in some instances are more favorable and in a few cases may be completely eliminated in the No. 114 are changing from time to time. Priority re-Priority ratings on many items listed in our catalog Entrance No 261 ready to set in the wall.

Entrance No. 260

W-SDOW CNITS WEATHERSTRIPPED

CINCINNATI, OHIO

PAID

PERMIT No. 3518

U. S. POSTAGE Sec. 562, P. L. & R.

Prefitted · Airtite · Rot-Proofed · Assembled · Narrow Line

ZEW

Architecturally Correct-Raises and Lowers with Finger-Tip Ease

and up per Unit

Hung in Frame, entire, Unit Complete with Frame Glazed and Prefitted and Balances installed, Window Assembled, Weatherstrip and

near future. Write us regarding these changes pages

priced on page 22.

Entrances illustrated

Hunlock Creek, Pennsylvania, Bonham Brothers,

16060601300130 600879800